Author index

ABECK, D. *see* GAUGER, A.

ABENI, D., FRONTANI, M., SAMPOGNA, F., SERA, F., BOLLI, S., CORONA, R., BALIVA, G. & RUSSO, G. Circulating CD8+ lymphocytes, white blood cells, and survival in patients with mycosis fungoides, 324

ABERER, W. *see* GRIMS, R.H.

ABRAHAM, S. *see* HSU, C.

ADACHI, A., SARAYAMA, Y., SHIMIZU, H., YAMADA, Y. & HORIKAWA, T. Thiodiglycolic acid as a possible causative agent of fixed drug eruption provoked only after continuous administration of S-carboxymethyl-l-cysteine: case report and review of reported cases, 226

ADAMSKI, H. *see* MARTIN, L.

ADLY, M.A., ASSAF, H.A., NADA, E.A., SOLIMAN, M. & HUSSEIN, M. Human scalp skin and hair follicles express neurotrophin-3 and its high-affinity receptor tyrosine kinase C, and show hair cycle-dependent alterations in expression, 514

AGARWAL, S., RAMAM, M., SHARMA, V.K., KHANDPUR, S., PAL, H. & PANDEY, R.M. A randomized placebo-controlled double-blind study of levamisole in the treatment of limited and slowly spreading vitiligo, 163

AGNER, T. *see* CVETKOVSKI, R.S.

AGNER, T. *see* PEDERSEN, L.K.

AHMAD, W. *see* NAEEM, M.

AHMED, Z. *see* DAVID, S.E.

AHMED, Z. *see* HALLAI, N.

AKBAR, A.N. *see* VUKMANOVIC-STEJIC, M.

AKENGIN, A. *see* FLUHR, J.W.

AKINO, K. *see* NAKAGAWA, H.

AKIOKA, T. *see* YOKOTE, T.

AKITA, S. *see* NAKAGAWA, H.

AKIYAMA, M. *see* SHIMIZU, A.

AL GHAZAL, M. *see* GUTZMER, R.

ALAM, N.A., OLPIN, S. & LEIGH, I.M. Fumarate hydratase mutations and predisposition to cutaneous leiomyomas, uterine leiomyomas and renal cancer, 11

ALBERT, S. *see* POWELL, A.M.

ALDRIDGE, C.R. *see* CHUA, I.C.

ALESSI, E., COGGI, A., VENEGONI, L., MERLO, V. & GIANOTTI, R. The usefulness of clonality for the detection of cases clinically and/or histopathologically not recognized as cutaneous T-cell lymphoma, 368

ALIDAEE, M.R., TAHERI, A., MANSOORI, P. & GHODSI, S.Z. Silver nitrate cautery in aphthous stomatitis: a randomized controlled trial, 521

ALLAN, R.B. *see* YESUDIAN, P.D.

ALOMAR, A. *see* PUJOL, R.M.

ALOMAR, A. *see* VILA, A.T.

ALTMEYER, P. *see* KREUTER, A.

AMANO, S. *see* KADOYA, K.

AMATO, S. *see* CABIBI, D.

AMICI, J.M., ROGUES, A.M., LASHERAS, A., GACHIE, J.P., GUILLOT, P., BEYLOT, C., THOMAS, L. & TAÏEB, A. A prospective study of the incidence of complications associated with dermatological surgery, 967

ANANTHASWAMY, H.N. *see* WORDA, M.

ANDERSEN, K.E. *see* JØHNKE, H.

ANDERSEN, K.E. *see* SØSTED, H.

ANDO, N. *see* INOZUME, T.

ANGELOVA-FISCHER, I., BAUER, A., HIPLER, U.C., PETROV, I., KAZANDJIEVA, J., BRUCKNER, T., DIEPGEN, T., TSANKOV, N., WILLIAMS, M., FISCHER, T.W., ELSNER, P. & FLUHR, J.W. The Objective Severity Assessment of Atopic Dermatitis (OSAAD) score: validity, reliability and sensitivity in adult patients with atopic dermatitis, 767

ANSTEY, A.V., AZURDIA, R.M., RHODES, L.E., PEARSE, A.D. & BOWDEN, P.E. Photosensitive Smith–Lemli–Opitz syndrome is not caused by a single gene mutation: analysis of the gene encoding 7-dehydrocholesterol reductase in five U.K. families, 774

ANSTEY, A.V. *see* SMITH, C.H.

AOKI, T. Serum antidiuretic hormone is elevated in relation to the increase in average total body transepidermal water loss in severe atopic dermatitis, 359

ARABATZIS, M., VELEGRAKI, A., KANTARDJIEV, T., STAVRAKIEVA, V., RIGOPOULOS, D. & KATSAMBAS, A. First report on autochthonous urease-positive *Trichophyton rubrum* (*T. raubitschekii*) from South-east Europe, 178

ARGENZIANO, G. *see* ZALAUDEK, I.

ARICÒ, M. *see* LUPO, I.

ARIN, M.J., ENGERT, A., KRIEG, T. & HUNZELMANN, N. Anti-CD20 monoclonal antibody (rituximab) in the treatment of pemphigus, 620

ARMSTRONG, J.S. *see* CONNOLLY, M.

ARMSTRONG, S. *see* YESUDIAN, P.D.

ARNABOLDI, F. *see* SELLERI, S.

ARTUC, M. *see* STECKELINGS, U.M.

ASANO, Y. *see* JINNIN, M.

ASSAF, H.A. *see* ADLY, M.A.

AUBIN, F. *see* MARTIN, L.

AUDRING, H. *see* GELLRICH, S.

AUTERI, A. *see* DI RENZO, M.

AVERNA, M.R. *see* LUPO, I.

AVRIL, M-F. *see* MARTIN, L.

AYABAKAN, H.B. *see* BULDANLIOGLU, S.

AZON, A. *see* PUJOL, R.M.

AZURDIA, R.M. *see* ANSTEY, A.V.

BAGNATO, V.S. *see* SOUZA, C.S.

BAILEY, A. *see* BLACK, A.P.

BALIVA, G. *see* ABENI, D.

BALME, B. *see* DALLE, S.

BALME, B. *see* DOEBELIN, B.

BALSARI, A. *see* SELLERI, S.

© 2005 British Association of Dermatologists

BALTACI, M., FRITSCH, P., WEBER, F., TZANKOV, A., SÖGNER, P., DERLER, A.M. & HÖPFL, R. Treatment with gefitinib (ZD 1839) in a patient with advanced cutaneous squamous cell carcinoma, 234
BARAN, R., MCLOONE, N. & HAY, R.J. Could proximal white subungual onychomycosis be a complication of systemic spread? The lessons to be learned from Maladie Dermatophytique and other deep infections, 1023
BARAN, R. Cosmetic dermatology: almost an oxymoron!, 1225
BARKER, J.N.W.N. see SMITH, C.H.
BARNHART, K.F. see CREDILLE, K.M.
BARRANCO, C. see GILABERTE, M.
BARRESI, E. see CABIBI, D.
BARTKOWIAK, J. see ROBAK, E.
BASKETTER, D.A. see HO, S.G.Y.
BASSI, E., MATTHEWS, S. & CERIO, R. Superficial granulomatous pyoderma associated with chronic osteomyelitis, 684
BASTUJI-GARIN, S. see VALEYRIE-ALLANORE, L.
BATTYÁNI, Z. see CSETE, B.
BAUER, A. see ANGELOVA-FISCHER, I.
BAUER, J.W. see LANSCHUETZER, C.M.
BAUER, R. see WENZEL, J.
BÄUMER, W., SÜLZLE, B., WEIGT, H., DE VRIES, V.C., HECHT, M., TSCHERNIG, T. & KIETZMANN, M. Cilomilast, tacrolimus and rapamycin modulate dendritic cell function in the elicitation phase of allergic contact dermatitis, 136
BEATTIE, P.E., DAWE, R.S., TRAYNOR, N.J., WOODS, J.A., FERGUSON, J. & IBBOTSON, S.H. Can St John's wort (hypericin) ingestion enhance the erythemal response during high-dose ultraviolet A1 therapy?, 1187
BEATTIE, P.E. see FINLAN, L.E.
BECK, M.H. see WALKER, S.L.
BEDNAREK, A. see ROBAK, E.
BEDONI, M. see DONETTI, E.
BEIER, K. see OJI, V.
BELINCHÓN, I. see PASCUAL, J.C.
BELJAN, G. see OJI, V.
BELLINVIA, M. see CAPUTO, R.
BELLON, J.M. see SEOANE REULA, E.
BELLOSILLO, B. see GILABERTE, M.
BENEDIX, F., METZLER, G., RÖCKEN, M. & BERNEBURG, M. B-chronic lymphocytic leukaemia in association with necrobiosis lipoidica-like lesions, 694
BENOHANIAN, A. The place of botulinum toxin type A in the treatment of focal hyperhidrosis, 460
BENTLEY, M.V. see SOUZA, C.S.
BERARDESCA, E. see MASTROIANNI, A.
BERGER, F. see DALLE, S.
BERGMAN, R. see INDELMAN, M.
BERKING, C. see BRENNER, M.
BERNEBURG, M. see BENEDIX, F.
BERNENGO, M.G. see PONTI, R.
BERTELLI, A.A.E. see DONETTI, E.
BERTHO, A.L. see DA-CRUZ, A.M.
BERTI, E. see MARZANO, A.V.
BESCH, R. see BRENNER, M.
BESSIS, D. see GIRARD, C.
BESSIS, D. see KLUGER, N.
BETZ, R.C. see DÁVALOS, N.O.
BEYLOT, C. see AMICI, J.M.
BHOGAL, B. see POWELL, A.M.
BIEBER, T. see WENZEL, J.
BINDER, M. see HINTERHUBER, G.
BINDSLEV-JENSEN, C. see JØHNKE, H.
BIRCH, K.E. see VUKMANOVIC-STEJIC, M.
BIRNIE, A.J. & PERKINS, W. A case of linear IgA disease occurring in a patient with colonic Crohn's disease, 1050
BLACK, A.P., BAILEY, A., JONES, L., TURNER, R.J., HOLLOWOOD, K. & OGG, G.S. p53-specific CD8+ T-cell responses in individuals with cutaneous squamous cell carcinoma, 987
BLACK, M.M. see CHAUDHRY, S.I.
BLACK, M.M. see POWELL, A.M.
BLANC, P. see MARTIN, L.
BLEIKER, T.O., NICOLAOU, N., TRAULSEN, J. & HUTCHINSON, P.E. 'Atrophic telogen effluvium' from cytotoxic drugs and a randomized controlled trial to investigate the possible protective effect of pretreatment with a topical vitamin D_3 analogue in humans, 103
BLOKX, W.A.M. see VAN IERSEL, C.A.
BOCCI, V. see VALACCHI, G.
BOEHNCKE, W-H., OCHSENDORF, F.R., NOLL, S., URBAN, M., POPP, A., WALDHERR, D., HAUNSCHILD, J. & LITZENBURGER, T. Efficacy of the fully human monoclonal antibody MOR102 (5) against intercellular adhesion molecule 1 in the psoriasis–severe combined immunodeficient mouse model, 758
BÖHM, M. see LOQUAI, C.
BOLLI, S. see ABENI, D.
BONELLO, L. see PONTI, R.
BONESCHI, V. see MARZANO, A.V.
BONGIORNO, M.R. see LUPO, I.
BONISH, B.K. see GORDON, K.B.
BOON, A. see MITRA, A.
BORALEVI, F., HAFTEK, M., VABRES, P., LEPREUX, S., GOIZET, C., LEAUTE-LABREZE, C. & TAIEB, A. Hereditary mucoepithelial dysplasia: clinical, ultrastructural and genetic study of eight patients and literature review, 310
BORDIGNON, V. see MASTROIANNI, A.
BORELLI, C. see SCHALLER, M.
BORGIA, F., GUARNERI, C., GUARNERI, F. & VACCARO, M. Radiation recall dermatitis after docetaxel administration: absolute indication to replace the drug?, 674
BORICIC, I. see BRASANAC, D.
BORNKESSEL, A. see FLUHR, J.W.
BORRADORI, L. see CAMPANELLI, A.
BOS, J.D. see DE GROOT, M.
BOSCHINI, E. see DONETTI, E.
BOURKE, J. *Rapid Reference Dermatology* (2004) David J Gawkrodger. Elsevier Mosby, 237
BOUWSTRA, J.A. see LI, G.L.

BOVENSCHEN, H.J., SEYGER, M.M.B. & VAN DE KERKHOF, P.C.M. Plaque psoriasis vs. atopic dermatitis and lichen planus: a comparison for lesional T-cell subsets, epidermal proliferation and differentiation, 72
BOWDEN, P.E. see ANSTEY, A.V.
BOWLING, J.C.R., POWLES, A., NASIRI, N., SEARLE, A. & BUNKER, C.B. Spontaneous regression of extramammary Paget's disease after excision of primary apocrine carcinoma, in an immunosuppressed patient, 676
BOXER, M. see LANG, J.
BOYLE, J. see BROWN, M.
BRÄHLER, S. see WENZEL, J.
BRASANAC, D., BORICIC, I., TODOROVIC, V., TOMANOVIC, N. & RADOJEVIC, S. Cyclin A and β-catenin expression in actinic keratosis, Bowen's disease and invasive squamous cell carcinoma of the skin, 1166
BRASCH, J. see SCHAUFUSS, P.
BRATTSAND, M. see EGELRUD, T.
BRAUN-FALCO, M. & KÖHN, F-M. Ectopic hair on the glans penis, 218
BRAZIER, J.E. see STEVENS, K.J.
BRENNER, M., DEGITZ, K., BESCH, R. & BERKING, C. Differential expression of melanoma-associated growth factors in keratinocytes and fibroblasts by ultraviolet A and ultraviolet B radiation, 733
BRITTON, J.E.R., GOULDEN, V., STABLES, G., STRINGER, M. & SHEEHAN-DARE, R. Investigation of the use of the pulsed dye laser in the treatment of Bowen's disease using 5-aminolaevulinic acid phototherapy, 780
BRÖCKER, E-B. see KERSTAN, A.
BRÖCKER, E-B. see SCHMIDT, E.
BROOKE, S. see ERSSER, S.J.
BROWN, M., NOURSADEGHI, M., BOYLE, J. & DAVIDSON, R.N. Successful liposomal amphotericin B treatment of *Leishmania braziliensis* cutaneous leishmaniasis, 203
BRUCKNER, T. see ANGELOVA-FISCHER, I.
BRUIJNZEEL-KOOMEN, C.A.F.M. see SCHORNAGEL, I.J.
BU, D.F. see WANG, J.
BUCKLEY, D.A. see CONNOLLY, M.
BUIJSROGGE, J.J.A., PAS, H.H. & JONKMAN, M.F. Antiepiligrin cicatricial pemphigoid without mucous membrane involvement, 1080
BULDANLIOGLU, S., TURKMEN, S., AYABAKAN, H.B., YENICE, N., VARDAR, M., DOGAN, S. & MERCAN, E. Nitric oxide, lipid peroxidation and antioxidant defence system in patients with active or inactive Behçet's disease, 526
BULL, R.C. see HARWOOD, C.A.
BUNKER, C.B. see BOWLING, J.C.R.
BURDEN, A.D. see SMITH, C.H.
BURGDORF, W.H.C. see SCHALLER, M.
BURGE, S. see COOPER, S.M.
BURGGRAF, S. see MEMPEL, M.
BURNS, T.M., TE MORSCHE, R.H.M., JANSEN, J.B.M.J. & DRENTH, J.P.H. Genetic heterogeneity and exclusion of a modifying locus at 2q in a family with autosomal dominant primary erythermalgia, 174
BURROWS, N.P. see FASSIHI, H.
BUSAM, K. see CHEN, C-S.J.
BUSS, Y-L. & STICHERLING, M. Cold urticaria; disease course and outcome – an investigation of 85 patients before and after therapy, 440
BUXANT, F. see NOËL, J-C.

CABIBI, D., MUSTACCHIO, V., RODOLICO, V., BARRESI, E., MARTORANA, A. & AMATO, S. Rare localization of low-grade fibromyxoid sarcoma to the nail region, 686
CAMACHO, F.M. see MORENO-RAMIREZ, D.
CAMARDA, R. see LUPO, I.
CAMERON, H. see DAWE, R.S.
CAMPANELLI, A., KAYA, G., MASOUYÉ, I. & BORRADORI, L. Calcifying panniculitis following subcutaneous injections of nadroparin-calcium in a patient with osteomalacia, 657
CAMPANELLI, A. see HSU, C.
CAMPBELL, J. see MARKS, R.
CAMPS-FRESNEDA, A. see MORENO-ARIAS, G.A.
CAPRONI, M., TORCHIA, D. & FABBRI, P. Evidence for a role of type I interferons in the pathogenesis of dermatomyositis: reply from authors, 463
CAPUTO, R., MARZANO, A.V., PASSONI, E. & BELLINVIA, M. Chemotherapeutic experience in indeterminate cell histiocytosis, 206
CAPUTO, R. see MARZANO, A.V.
CARLI, P. see STANTE, M.
CARRASCOSA, J.M. see XIFRA, A.
CASPARY, F., ELLIOTT, G., NAVÉ, B.T., VERZAAL, P., ROHRBACH, M., DAS, P.K., NAGELKERKEN, L. & NIELAND, J.D. A new therapeutic approach to treat psoriasis by inhibition of fatty acid oxidation by Etomoxir, 937
CASSUTO, J-P. see LEGROS, L.
CASTAGNINI, C. see DI RENZO, M.
CAUZA, K. see HINTERHUBER, G.
CAWOOD, J.I. see YESUDIAN, P.D.
CEFALU, A.B. see LUPO, I.
CERIO, R. see BASSI, E.
CERIO, R. see HARWOOD, C.A.
CERIO, R. see PERRETT, C.M.
CERRONI, L., GATTER, K. & KERL, H. David Slater 2nd Edition, *An illustrated guide to skin lymphoma*, 697
CERRONI, L. see WORDA, M.
CHAI, C-Y. see LAN, C-C.E.
CHALMERS, R.J.G. see HARRIES, M.J.
CHALMERS, R.J.G. see SMITH, C.H.
CHAN, A.Y.K. & LIU, D.T.L. A Korean case of oculocutaneous albinism type IV caused by a D157N mutation in the *MATP* gene, 1072
CHAN, E-Y. see ZAKRZEWSKA, J.M.
CHAN, S.K. see LOO, W.J.
CHAN, Y-C., EICHENFIELD, L.F., MALCHIODI, J. & FRIEDLANDER, S.F. Small facial haemangioma and supraumbilical raphe–a *forme fruste* of PHACES syndrome?, 1053
CHANDLER, D. see SMITH, C.H.
CHANG, C-H. see LAN, C-C.E.

CHANG, M-S. see LI, H-H.
CHANG, S-E. see LEE, H-W.
CHANG, Y.T., LIU, H.N., SHIAO, Y.M., LIN, M.W., LEE, D.D., LIU, M-T., WANG, W.J., WU, S., LAI, C.Y. & TSAI, S.F. A study of *PSORS1C1* gene polymorphisms in Chinese patients with psoriasis, 90
CHAO, S-C., LEE, J.Y-Y., SHEU, H-M. & YANG, M-H. A novel deletion mutation of the *DSRAD* gene in a Taiwanese patient with dyschromatosis symmetrica hereditaria, 1064
CHAUDHRY, S.I., GEORGE, M.L., MADANS, B. & BLACK, M.M. Anticoagulant-responsive pyoderma gangrenosum associated with an underlying prothrombotic dysfibrinogenaemia, 1081
CHAVE, T.A., MORTIMER, N.J., SLADDEN, M.J., HALL, A.P. & HUTCHINSON, P.E. Toxic epidermal necrolysis: current evidence, practical management and future directions, 241
CHEN, C-S.J., ELIAS, M., BUSAM, K., RAJADHYAKSHA, M. & MARGHOOB, A.A. Multimodal *in vivo* optical imaging, including confocal microscopy, facilitates presurgical margin mapping for clinically complex lentigo maligna melanoma, 1031
CHEN, G-S. see LAN, C-C.E.
CHEN, H-D. see WANG, H.
CHEN, J-F. see SUN, X-K.
CHEN, P-J. see LI, H-H.
CHEN, R.H. see WANG, T.C.
CHEN, S.J. see GUPTA, M.A.
CHEN, W-C. see LI, H-H.
CHEN, X.X. see WANG, J.
CHEUNG, S-T. see TAIBJEE, S.M.
CHIOU, M-H. see LAN, C-C.E.
CHOI, J-C. see LEE, H-W.
CHOI, J-H. see LEE, H-W.
CHOI, J-H. see LEE, M-W.
CHU, C-Y. & YANG, C-H. Docetaxel-induced recall dermatitis on previous laser treatment sites, 441
CHUA, I.C., ALDRIDGE, C.R., FINLAY, A.Y. & WILLIAMS, P.E. Cutaneous IgA-associated vasculitis induced by alcohol, 1037
CHUA, S.L. & GIBBS, S. Chronic urticaria responding to subcutaneous heparin sodium, 216
CHUANG, T-Y., LEWIS, D.A. & SPANDAU, D.F. Decreased incidence of nonmelanoma skin cancer in patients with type 2 diabetes mellitus using insulin: a pilot study, 552
CLAUSEN, J.T. see OTKJAER, K.
COATES, P., VYAKRNAM, S., RAVENSCROFT, J.C., STABLES, G.I., CUNLIFFE, W.J., LEYDEN, J.J., JOHNSON, J., EADY, E.A. & COVE, J.H. Efficacy of oral isotretinoin in the control of skin and nasal colonization by antibiotic-resistant propionibacteria in patients with acne, 1126
COGGI, A. see ALESSI, E.
COLLINS, S.M. see THIEDEN, E.
COMESSATTI, A. see PONTI, R.
CONDE-TABOADA, A., DE LA TORRE, C., FEAL, C., MAYO, E., GONZÁLEZ-SIXTO, B. & CRUCES, M.J. Meyerson's naevi induced by interferon alfa plus ribavirin combination therapy in hepatitis C infection, 1070
CONLON, P.J. see MOLONEY, F.J.
CONNOLLY, M., ARMSTRONG, J.S. & BUCKLEY, D.A. Infliximab treatment for severe orogenital ulceration in Behçet's disease, 1073
CONSTANTINOU, M. see ROBAK, E.
COOPER, A.J. see MORGAN, C.J.
COOPER, S.M. & BURGE, S. Persistent acantholytic dermatosis and extensive lentiginous 'freckling': a new entity?: reply from authors, 218
CORDIALI-FEI, P. see MASTROIANNI, A.
CORK, M.J. see STEVENS, K.J.
CORONA, R. see ABENI, D.
COSCOJUELA, C. see GILABERTE, Y.
COUTINHO, S.G. see DA-CRUZ, A.M.
COVE, J.H. see COATES, P.
COX, N.H. Creamer D, du Vivier A (eds). *50 cases in dermatological medicine*. Taylor & Francis, 2005, 866
COX, N.H. Theirs BH, Lang PG (eds) *Year Book of Dermatology and Dermatologic Surgery 2004* Mosby, 696
CREDILLE, K.M., BARNHART, K.F., MINOR, J.S. & DUNSTAN, R.W. Mild recessive epidermolytic hyperkeratosis associated with a novel keratin 10 donor splice-site mutation in a family of Norfolk terrier dogs, 51
CRUCES, M.J. see CONDE-TABOADA, A.
CRUICKSHANK, N. see GUDI, V.S.
CSETE, B., MOEZZI, M., LENGYEL, Zs., HODOSI, B., ZOMBAI, E. & BATTYÁNI, Z. Florid cutaneous papillomatosis leading to social exclusion, 667
CUCCIA, A. see DI RENZO, M.
CUI, Y. see LIANG, Y.H.
CUNLIFFE, W.J. see COATES, P.
CVETKOVSKI, R.S., JENSEN, H., OLSEN, J., JOHANSEN, J.D. & AGNER, T. Relation between patients' and physicians' severity assessment of occupational hand eczema, 596
CZERNY, C-P. see HÖNLINGER, B.

D'AGOSTO, G. see MASTROIANNI, A.
D'AMURI, A. see DE NISI, M.C.
DA-CRUZ, A.M., BERTHO, A.L., OLIVEIRA-NETO, M.P. & COUTINHO, S.G. Flow cytometric analysis of cellular infiltrate from American tegumentary leishmaniasis lesions, 537
DAHLBÄCK, K. see WALLENGREN, J.
DALAC, S. see MARTIN, L.
DALGARD, F., SVENSSON, Å., SUNDBY, J. & DALGARD, O.S. Self-reported skin morbidity and mental health. A population survey among adults in a Norwegian city, 145
DALGARD, O.S. see DALGARD, F.
DALLE, S., BALME, B., BERGER, F., HAYETTE, S. & THOMAS, L. Mycosis fungoides-associated follicular mucinosis under adalimumab, 207
DALLE, S. see DOEBELIN, B.
DANHOF, M. see LI, G.L.
DANIELE, O. see LUPO, I.

DANS, M., HIVNOR, C. & VAN VOORHEES, A.S. Psoriatic onychopachydermoperiostitis: improvement with etanercept, 858
DARLING, J.C. see MITRA, A.
DAS, P.K. see CASPARY, F.
DÁVALOS, I.P. see DÁVALOS, N.O.
DÁVALOS, N.O., GARCÍA-VARGAS, A., PFORR, J., DÁVALOS, I.P., PICOS-CÁRDENAS, V.J., GARCÍA-CRUZ, D., KRUSE, R., FIGUERA, L.E., NÖTHEN, M.M. & BETZ, R.C. A non-sense mutation in the corneodesmosin gene in a Mexican family with hypotrichosis simplex of the scalp, 1216
DAVID, S.E., AHMED, Z., SALEK, M.S. & FINLAY, A.Y. Does enough quality of life-related discussion occur during dermatology outpatient consultations?, 997
DAVIDSON, R.N. see BROWN, M.
DAWE, R.S., YULE, S., CAMERON, H., MOSELEY, H., IBBOTSON, S.H. & FERGUSON, J. A randomized controlled comparison of the efficacy of Dead Sea salt balneophototherapy vs. narrowband ultraviolet B monotherapy for chronic plaque psoriasis , 613
DAWE, R.S. see BEATTIE, P.E.
DE ALOE, G. see DI RENZO, M.
DE GIORGI, V. see STANTE, M.
DE GROOT, M., DE RIE, M.A. & BOS, J.D. Dermatitis during efalizumab treatment in a patient with psoriasis vulgaris, 843
DE LA TORRE, C. see CONDE-TABOADA, A.
DE LUCAS LAGUNA, R. see MARTÍN-MUÑOZ, M.F.
DE MORAGAS, J.M. see PUJOL, R.M.
DE NISI, M.C., D'AMURI, A., TOSCANO, M., LALINGA, A.V., PIRTOLI, L. & MIRACCO, C. Usefulness of CDX2 in the diagnosis of extramammary Paget disease associated with malignancies of intestinal type, 677
DE PLACIDO, S. see DI LORENZO, G.
DE RIE, M.A. see DE GROOT, M.
DE VILLIERS, E-M. see EGAWA, K.
DE VRIES, V.C. see BÄUMER, W.
DEBUSSCHERE, G. see NOËL, J-C.
DEGITZ, K. see BRENNER, M.
DELAUNAY, M.M. see MARTIN, L.
DELFINO, M. see DI LORENZO, G.
DERLER, A.M. see BALTACI, M.
DI LORENZO, G., DI TROLIO, R., DELFINO, M. & DE PLACIDO, S. Pegylated liposomal doxorubicin in stage IVB mycosis fungoides, 183
DI RENZO, M., RUBEGNI, P., PASQUI, A.L., POMPELLA, G., DE ALOE, G., SBANO, P., CUCCIA, A., CASTAGNINI, C., AUTERI, A., LAGHI PASINI, F. & FIMIANI, M. Extracorporeal photopheresis affects interleukin (IL)-10 and IL-12 production by monocytes in patients with chronic graft-versus-host disease, 59
DI STEFANI, A. see ZALAUDEK, I.
DI TROLIO, R. see DI LORENZO, G.
DIAMANDIS, E.P. see KOMATSU, N.
DIBA, V.C. see FASSIHI, H.
DIEM, A. see LANSCHUETZER, C.M.
DIEM, E. see HINTERHUBER, G.
DIEPGEN, T. see ANGELOVA-FISCHER, I.
DIFFEY, B.L. & LANGTRY, J.A.A. Skin cancer incidence and the ageing population, 679
DIFFEY, B.L. Sunscreens and melanoma: the future looks bright, 378
DINGELMAIER-HOVORKA, R. see HINTERHUBER, G.
DIPPEL, E. see KLEMKE, C-D.
DISSEMOND, J. see LEHNEN, M.
DOEBELIN, B., DALLE, S., BALME, B., KANITAKIS, J. & THOMAS, L. Bullous systemic lupus erythematosus with autoantibodies recognizing bullous pemphigoid antigen 1, 232
DOGAN, S. see BULDANLIOGLU, S.
DOHERTY, V.R. see MCKENNA, D.B.
DOJCINOV, S. see KATUGAMPOLA, R.P.
DOMPMARTIN, A. see MARTIN, L.
DONETTI, E., BEDONI, M., BOSCHINI, E., BERTELLI, A.A.E., SFORZA, C. & GAGLIANO, N. Early epidermal response after a single dose of γ-rays in organotypic culture of human breast skin, 881
DOPPING-HEPENSTAL, P.J.C. see FASSIHI, H.
DOWARD, L.C. see STEVENS, K.J.
DOWN, G. see YANG, C-L.
DRAMAIX, M. see SIMONART, T.
DRENO, B. see JUGEAU, S.
DRENO, B. see KNOL, A.C.
DRÉNO, B. see MARTIN, L.
DRENTH, J.P.H. see BURNS, T.M.
DUNST, K.M., HUEMER, G.M., ZELGER, B.G. & ZELGER, B. A new variant of mastocytosis: report of three cases clinicopathologically mimicking histiocytic and vasculitic disorders, 642
DUNSTAN, R.W. see CREDILLE, K.M.
DUPONT, C. Is your patch test really necessary?, 842
DURAND, L. see GIRARD, C.
DYER, J.P. see MORGAN, C.J.
DYTOC, M., TING, P.T., MAN, J., SAWYER, D. & FIORILLO, L. First case series on the use of imiquimod for morphoea, 815

EADY, E.A. see COATES, P.
EDWARDS, S.L. see GUDI, V.S.
EEDY, D.J. DERMOGRAPHIES - Autobiographies in Dermatology Volume I Edited by Benjamin Barankin Publisher Community Books, Lockeport, Nova Scotia, 865
EEDY, D.J. Summary of inaugural meeting of the Skin Care in Organ Recipients Group, UK, held at the Royal Society of Medicine, 7 October 2004, 6
EGAWA, K., HONDA, Y. & MIYAWAKI, Y. Local hypertrichosis associated with a human papillomavirus type 1-induced wart, 1224
EGAWA, K., KIMMEL, R. & DE VILLIERS, E-M. A novel type of human papillomavirus (HPV 95): comparison with infections of closely related human papillomavirus types, 688
EGELRUD, T., BRATTSAND, M., KREUTZMANN, P., WALDEN, M., VITZITHUM, K., MARX, U.C., FORSSMANN, W.G. & MÄGERT, H.J. hK5 and hK7, two serine proteinases abundant in human skin, are inhibited by LEKTI domain 6, 1200

EICHENFIELD, L.F. see CHAN, Y-C.
EISENDLE, K. see HÖNLINGER, B.
ELIAS, M. see CHEN, C-S.J.
ELLIOTT, G. see CASPARY, F.
ELSNER, J. see GUTZMER, R.
ELSNER, P. see ANGELOVA-FISCHER, I.
ELSNER, P. see FISCHER, T.W.
ELSNER, P. see FLUHR, J.W.
EMBERGER, M. see LANSCHUETZER, C.M.
ENDO, H. see YONEYAMA, K.
ENGERT, A. see ARIN, M.J.
ENGLISH, J. *Fast facts: Eczema and Contact Dermatitis* (2004) John Berth-Jones, Eunice Tan & Howard I Maibach. Health Press, 237
ENGST, R. see MEMPEL, M.
ENOMOTO, U. see YOKOTE, T.
ERSSER, S.J., LATTIMER, V., SURRIDGE, H. & BROOKE, S. An analysis of the skin care patient mix attending a primary care-based nurse-led NHS Walk-in Centre, 992
ESTÈVE, E. see MARTIN, L.

FABBRI, P. see CAPRONI, M.
FAN, X. see LIANG, Y.H.
FANG, K. see QU, T.
FAROKHNIA, S. see HOLZER, G.
FASSIHI, H., DIBA, V.C., WESSAGOWIT, V., DOPPING-HEPENSTAL, P.J.C., JONES, C.A., BURROWS, N.P. & MCGRATH, J.A. Transient bullous dermolysis of the newborn in three generations, 1058
FAYT, I. see NOËL, J-C.
FEAL, C. see CONDE-TABOADA, A.
FELDMEIER, H. see HEUKELBACH, J.
FELÍCIO, L.B.A. see SOUZA, C.S.
FENG, A-P. see TAO, J.
FERGUSON, J. see BEATTIE, P.E.
FERGUSON, J. see DAWE, R.S.
FERNÁNDEZ-FIGUERAS, M.T. see VILA, A.T.
FERRÁNDIZ, C. see XIFRA, A.
FERRANDIZ, L. see MORENO-RAMIREZ, D.
FERRARA, G. see ZALAUDEK, I.
FERREIRA, J. see SOUZA, C.S.
FIERRO, M.T. see PONTI, R.
FIGUERA, L.E. see DÁVALOS, N.O.
FIMIANI, M. see DI RENZO, M.
FINLAN, L.E., KERNOHAN, N.M., THOMSON, G., BEATTIE, P.E., HUPP, T.R. & IBBOTSON, S.H. Differential effects of 5-aminolaevulinic acid photodynamic therapy and psoralen + ultraviolet A therapy on p53 phosphorylation in normal human skin *in vivo*, 1001
FINLAY, A.Y. see CHUA, I.C.
FINLAY, A.Y. see DAVID, S.E.
FINLAY, A.Y. see HALLAI, N.
FINLAY, A.Y. see KATUGAMPOLA, R.P.
FINLAY, A.Y. see KRUEGER, G.G.
FINLAY, A.Y. see SMITH, C.H.
FIORILLO, L. see DYTOC, M.
FISCHER, J. see PUJOL, R.M.
FISCHER, T. see GELLRICH, S.
FISCHER, T.W. & ELSNER, P. Reply to: Is melatonin useful in alopecia: critical appraisal of a randomized trial?, 860
FISCHER, T.W. see ANGELOVA-FISCHER, I.
FLORENSA, L. see PUJOL, R.M.
FLUHR, J.W., AKENGIN, A., BORNKESSEL, A., FUCHS, S., PRAESSLER, J., NORGAUER, J., GRIESHABER, R., KLEESZ, P. & ELSNER, P. Additive impairment of the barrier function by mechanical irritation, occlusion and sodium lauryl sulphate *in vivo*, 125
FLUHR, J.W. see ANGELOVA-FISCHER, I.
FOEDINGER, D. see HINTERHUBER, G.
FORSSMANN, W.G. see EGELRUD, T.
FORTEA, J.M. see PARDO, J.
FORTINO, V. see VALACCHI, G.
FORTUNE, D.G. see RICHARDS, H.L.
FRANCIS, D.M. see O'DONNELL, B.F.
FRANCKSON, T. see LEHNEN, M.
FREUTEL, S. see WENZEL, J.
FRIEDLANDER, S.F. see CHAN, Y-C.
FRIEDMANN, P.S. see MORGAN, C.J.
FRITSCH, P. see BALTACI, M.
FRÖHLICH, E., MACK, A.F., GARBE, C. & KLESSEN, C. Distribution and colocalization of markers for proliferation, invasion, motility and neoangiogenesis in benign melanocytic naevi and malignant melanomas, 1159
FRONTANI, M. see ABENI, D.
FUCHS, S. see FLUHR, J.W.
FUJII, T. see NAKAGAWA, H.
FUJIMOTO, A., NAGAO, K., TANAKA, K., YAMAGAMI, J., UDAGAWA, S-I. & SUGIURA, M. The first case of cutaneous mucormycosis caused by *Rhizopus azygosporus*, 428
FUJIMOTO, M. see NAKASHIMA, H.
FUJIWARA, M., MURAGAKI, Y. & OOSHIMA, A. Keloid-derived fibroblasts show increased secretion of factors involved in collagen turnover and depend on matrix metalloproteinase for migration, 295
FUKUDA, T. see TAKEUCHI, Y.
FUKUI, M. see NAKAGAWA, H.
FUKUSHIGE, T. see KANEKURA, T.
FUNDING, A.T. see OTKJAER, K.
FURUHASHI, M. see INOZUME, T.

GACHIE, J.P. see AMICI, J.M.
GAGLIANO, N. see DONETTI, E.
GALLARDO, F. see GILABERTE, M.
GAMBICHLER, T. see KREUTER, A.
GAO, M. see LIANG, Y.H.
GAO, X-H. see WANG, H.
GARBE, C. see FRÖHLICH, E.
GARCÍA-CRUZ, D. see DÁVALOS, N.O.
GARCÍA-VARGAS, A. see DÁVALOS, N.O.
GATTER, K. see CERRONI, L.

GAUGER, A., RONET, C., SCHNOPP, C., ABECK, D., HEIN, R., KÖHN, F-M., RING, J., OLLERT, M. & MEMPEL, M. High local interleukin 5 production in granuloma faciale (eosinophilicum): role of clonally expanded skin-specific CD4+ cells, 454
GAWKRODGER, D.J. Investigation of reactions to dental materials, 479
GEERLINGS, H. see GUTZMER, R.
GELLRICH, S., MUCHE, J.M., WILKS, A., JASCH, K.C., VOIT, C., FISCHER, T., AUDRING, H. & STERRY, W. Systemic eight-cycle anti-CD20 monoclonal antibody (rituximab) therapy in primary cutaneous B-cell lymphomas – an applicational observation, 167
GEORGE, M.L. see CHAUDHRY, S.I.
GERRITSEN, M.J.P. see VAN IERSEL, C.A.
GEUSAU, A., SANDOR, N., MESSERITSCH, E., JAKSCH, P., TINTELNOT, K. & PRESTERL, E. Cryptococcal cellulitis in a lung-transplant recipient, 1068
GHODSI, S.Z. see ALIDAEE, M.R.
GIANOTTI, R. see ALESSI, E.
GIBBS, S. see CHUA, S.L.
GILABERTE, M., GALLARDO, F., BELLOSILLO, B., SABALLS, P., BARRANCO, C., SERRANO, S. & PUJOL, R.M. Recurrent and self-healing cutaneous monoclonal plasmablastic infiltrates in a patient with AIDS and Kaposi sarcoma, 828
GILABERTE, M. see PUJOL, R.M.
GILABERTE, Y., COSCOJUELA, C., LEZAÚN, A. & MARIGIL, M.A. Degos disease associated with protein S deficiency, 666
GIRARD, C., DURAND, L., GUILLOT, B., GUILHOU, J-J. & BESSIS, D. Persistent acantholytic dermatosis and extensive lentiginous 'freckling': a new entity?, 217
GIRARD, C. see KLUGER, N.
GODFREY, J. see HALLAI, N.
GOEBELER, M. see SCHMIDT, E.
GOERDT, S. see KLEMKE, C-D.
GOH, C.L. see KOH, D.
GOIZET, C. see BORALEVI, F.
GONG, G-Y. see LEE, M-W.
GONZÁLEZ-ENSEÑAT, M.A. see PUJOL, R.M.
GONZÁLEZ-SIXTO, B. see CONDE-TABOADA, A.
GOODFELLOW, M. see NATARAJAN, S.
GOODFIELD, M.J.D. see YUNG, A.
GOODYEAR, H.M. see ORPIN, S.D.
GOOI, J. see MITRA, A.
GÓRA-TYBOR, J. see ROBAK, E.
GORDON, K.B., BONISH, B.K., PATEL, T., LEONARDI, C.L. & NICKOLOFF, B.J. The tumour necrosis factor-α inhibitor adalimumab rapidly reverses the decrease in epidermal Langerhans cell density in psoriatic plaques, 945
GOULDEN, V. see BRITTON, J.E.R.
GRABBE, S. see LEHNEN, M.
GRANEL, F. see MARTIN, L.
GREAVES, M.W. see O'DONNELL, B.F.
GRIESHABER, R. see FLUHR, J.W.
GRIFFITHS, C.E.M. see HARRIES, M.J.
GRIFFITHS, C.E.M. see KRUEGER, G.G.
GRIFFITHS, C.E.M. see RICHARDS, H.L.
GRIFFITHS, C.E.M. see WARREN, R.B.
GRIFITTHS, C.E.M. see SMITH, C.H.
GRIMS, R.H., REITER, H., ABERER, W. & KRÄNKE, B. Masked penicillin exposure leading to intensive care unit treatment, 228
GRJIBOVSKI, A. see OLSEN, A.O.
GROER, W. see MEMPEL, M.
GROVER, C., REDDY, B.S.N. & UMA CHATURVEDI, K. Diagnosis of nail psoriasis: importance of biopsy and histopathology, 1153
GUARNERI, C. see BORGIA, F.
GUARNERI, F. see BORGIA, F.
GUDI, V. see JURY, C.S.
GUDI, V.S., WHITE, M.I., CRUICKSHANK, N., HERRIOT, R., EDWARDS, S.L., NIMMO, F. & ORMEROD, A.D. Annual incidence and mortality of bullous pemphigoid in the Grampian Region of North-east Scotland, 424
GUIKERS, C.L.H. see SCHORNAGEL, I.J.
GUILHOU, J-J. see GIRARD, C.
GUILHOU, J-J. see MOLÈS, J-P.
GUILLOT, B. see GIRARD, C.
GUILLOT, B. see KLUGER, N.
GUILLOT, B. see MARTIN, L.
GUILLOT, P. see AMICI, J.M.
GUILLOUX, Y. see KNOL, A.C.
GUPTA, A.K. see GUPTA, M.A.
GUPTA, M.A., GUPTA, A.K., CHEN, S.J. & JOHNSON, A.M. Comorbidity of rosacea and depression: an analysis of the National Ambulatory Medical Care Survey and National Hospital Ambulatory Care Survey—Outpatient Department data collected by the U.S. National Center for Health Statistics from 1995 to 2002, 1176
GURBINDO, D. see SEOANE REULA, E.
GUTZMER, R., AL GHAZAL, M., GEERLINGS, H. & KAPP, A. Sentinel node biopsy in melanoma delays recurrence but does not change melanoma-related survival: a retrospective analysis of 673 patients, 1137
GUTZMER, R., WERFEL, T., MAO, R., KAPP, A. & ELSNER, J. Successful treatment with oral isotretinoin of acneiform skin lesions associated with cetuximab therapy, 849

HAFIJI, J. see ORPIN, S.D.
HAFTEK, M. see BORALEVI, F.
HAGFORSEN, E. see MICHAËLSSON, G.
HÄGG, P.M. see LEINONEN, P.T.
HALL, A.P. see CHAVE, T.A.
HALLAI, N., FINLAY, A.Y., GODFREY, J., KAMATH, S., AHMED, Z. & MODHAZAM, A. Inpatient compliance of topical applications, 446
HANAFUSA, T. see YOKOTE, T.
HARA, S. see YOKOTE, T.
HARPER, J.I. see KATUGAMPOLA, R.P.
HARRIES, M.J., CHALMERS, R.J.G. & GRIFFITHS, C.E.M. Fumaric acid esters for severe psoriasis: a retrospective review of 58 cases, 549

HARRIS, J.R. see OLSEN, A.O.
HARWOOD, C.A., STEVENS, J.C., ORTON, D., BULL, R.C., PAIGE, D., LESSING, M.P.A., MORTIMER, P.S., MARSDEN, R.A. & CERIO, R. Chronic meningococcaemia: a forgotten meningococcal disease, 669
HARWOOD, C.A. see PERRETT, C.M.
HASEGAWA, T. see MIZUNO, Y.
HASHIMOTO, T. see MORIZANE, S.
HASHIMOTO, Y. see YOSHIDA, M.
HATTORI, N., SHIRAI, A., SUGIURA, Y., LI, W., YOKOYAMA, K., MISAWA, Y., OKUZUMI, K. & TAMAKI, K. Onychomycosis caused by *Fusarium proliferatum*, 647
HAUNSCHILD, J. see BOEHNCKE, W-H.
HAY, R.J. see BARAN, R.
HAYETTE, S. see DALLE, S.
HE, C-D. see WANG, H.
HECHT, M. see BÄUMER, W.
HEIN, R. see GAUGER, A.
HELD, E. see PEDERSEN, L.K.
HENZ, B.M. see STECKELINGS, U.M.
HERD, R.M. see JURY, C.S.
HERRIOT, R. see GUDI, V.S.
HERRMANN, W.A. see MEYER, S.
HERTL, M. see JACOBI, A.
HERZOG, S. see SCHMIDT, E.
HESSE, U. see SØSTED, H.
HEUKELBACH, J., WILCKE, T., WINTER, B. & FELDMEIER, H. Epidemiology and morbidity of scabies and pediculosis capitis in resource-poor communities in Brazil, 150
HIGASHI, K. see YOKOTE, T.
HIGGINS, E. see ROBERTSHAW, H.
HINTERHUBER, G., BINDER, M., MARQUARDT, Y., CAUZA, K., RIEDL, E., RAPPERSBERGER, K., WOLFF, K. & FOEDINGER, D. Enzyme-linked immunosorbent assay for detection of peptide-specific human antidesmoplakin autoantibodies, 413
HINTERHUBER, G., CAUZA, K., DINGELMAIER-HOVORKA, R., DIEM, E., HORVAT, R., WOLFF, K. & FOEDINGER, D. Expression of RPE65, a putative receptor for plasma retinol-binding protein, in nonmelanocytic skin tumours, 785
HINTNER, H. see LANSCHUETZER, C.M.
HIPLER, U.C. see ANGELOVA-FISCHER, I.
HISAMATSU, Y. see MORIZANE, S.
HIVNOR, C. see DANS, M.
HO, C.K. & LI, G. Mutant p53 melanoma cell lines respond differently to CP-31398-induced apoptosis, 900
HO, S.G.Y., BASKETTER, D.A., JEFFERIES, D., RYCROFT, R.J.G., WHITE, I.R. & MCFADDEN, J.P. Analysis of para-phenylenediamine allergic patients in relation to strength of patch test reaction, 364
HODOSI, B. see CSETE, B.
HOEFT, D. see LEHNEN, M.
HOFMANN, H. see MEMPEL, M.
HOHENLEUTNER, S. see MEYER, S.
HOHENLEUTNER, U. see MEYER, S.
HOLLOWOOD, K. see BLACK, A.P.
HOLME, S.A., LAIDLER, P. & HOLT, P.J.A. Concurrent granuloma faciale and eosinophilic angiocentric fibrosis, 851
HOLT, P.J.A. see HOLME, S.A.
HOLZER, G., RIEGLER, E., HÖNIGSMANN, H., FAROKHNIA, S. & SCHMIDT, B. Effects and side-effects of 2% progesterone cream on the skin of peri- and postmenopausal women: results from a double-blind, vehicle-controlled, randomized study, 626
HONDA, Y. see EGAWA, K.
HÖNIGSMANN, H. see HOLZER, G.
HÖNLINGER, B., HUEMER, H.P., ROMANI, N., CZERNY, C-P., EISENDLE, K. & HÖPFL, R. Generalized cowpox infection probably transmitted from a rat, 451
HÖPFL, R. see BALTACI, M.
HÖPFL, R. see HÖNLINGER, B.
HORIKAWA, T. see ADACHI, A.
HORIUCHI, Y. see TAKAHASHI, M.
HORN, P. see MEYER, S.
HORVAT, R. see HINTERHUBER, G.
HØST, A. see JØHNKE, H.
HSIAO, C-H. see LI, H-H.
HSU, C., ABRAHAM, S., CAMPANELLI, A., SAURAT, J-H. & PIGUET, V. Sign of Leser-Trélat in a heart transplant recipient, 861
HSU, S. see WU, J.J.
HUANG, C-Z. see TAO, J.
HUANG, D.B. see WU, J.J.
HUANG, Y.L. see WANG, T.C.
HUEMER, G.M. see DUNST, K.M.
HUEMER, H.P. see HÖNLINGER, B.
HUH, C-H. see YOUN, S-W.
HUILGOL, S.C. see LEIBOVITCH, I.
HUNZELMANN, N. see ARIN, M.J.
HUPP, T.R. see FINLAN, L.E.
HUSSACK, G. see KOMATSU, N.
HUSSEIN, M. see ADLY, M.A.
HUSSEIN, M.R. Tumour-infiltrating lymphocytes and melanoma tumorigenesis: an insight, 18
HUSSEIN, U. see SELLERI, S.
HUTCHINSON, P.E. see BLEIKER, T.O.
HUTCHINSON, P.E. see CHAVE, T.A.
HUTCHINSON, P.E. see SLADDEN, M.J.

IBBOTSON, S.H. see BEATTIE, P.E.
IBBOTSON, S.H. see DAWE, R.S.
IBBOTSON, S.H. see FINLAN, L.E.
ICHIKAWA, N., KOBAYASHI, M., KIMOTO, M., TANIKAWA, A. & TANAKA, M. A case of multiple aneurysmal fibrous histiocytomas, 664
IHN, H. see JINNIN, M.
IIZUKA, H. see TAKAHASHI, H.
INDELMAN, M., LEIBU, R., JAMMAL, A., BERGMAN, R. & SPRECHER, E. Molecular basis of hypotrichosis with juvenile macular dystrophy in two siblings, 635
INOUE, S. see SAKAI, S.

INOZUME, T., MATSUE, H., FURUHASHI, M., NAKAMURA, Y., MITSUI, H., ANDO, N., MIZUTANI, M., MIYAHARA, A., KAWAMURA, T., SHIBAGAKI, N., TSUKAMOTO, K. & SHIMADA, S. Successful use of etretinate for long-term management of a patient with cutaneous-type adult T-cell leukaemia/lymphoma, 1239
ISHIDA-YAMAMOTO, A. see TAKAHASHI, H.
ISHIDOH, K. see NAKANO, N.
ISHIKAWA, O. see TAKEUCHI, Y.
ISHIKO, A. see SHIMIZU, A.
ISMAÏLI, N. see VALEYRIE-ALLANORE, L.
ITO, M. see SHIMOMURA, Y.
ITOH, M. see YOSHIDA, M.
IVERSEN, L. see OTKJAER, K.
IWAO, F., ONOZUKA, T. & KAWASHIMA, T. Vulval syringoma successfully treated with tranilast, 1228
IWATSUKI, K. see MORIZANE, S.

JACKSON, K. see SMITH, C.H.
JACOB, K. see SCHALLER, M.
JACOBI, A., SCHULER, G. & HERTL, M. Rapid control of therapy-refractory pemphigus vulgaris by treatment with the tumour necrosis factor-α inhibitor infliximab, 448
JAHREIS, A. see KRUEGER, G.G.
JAKSCH, P. see GEUSAU, A.
JAMMAL, A. see INDELMAN, M.
JANSEN, J.B.M.J. see BURNS, T.M.
JARROUSSE, V. see JUGEAU, S.
JASCH, K.C. see GELLRICH, S.
JEE, K-J. see LEE, M-W.
JEE, S.H. see WANG, T.C.
JEFFERIES, D. see HO, S.G.Y.
JENSEN, H. see CVETKOVSKI, R.S.
JINNIN, M., IHN, H., ASANO, Y., YAMANE, K., YAZAWA, N. & TAMAKI, K. Sclerosing panniculitis is associated with pulmonary hypertension in systemic sclerosis, 579
JOHANSEN, J.D. see CVETKOVSKI, R.S.
JOHANSEN, J.D. see PEDERSEN, L.K.
JOHANSEN, J.D. see SØSTED, H.
JØHNKE, H., VACH, W., NORBERG, L.A., BINDSLEV-JENSEN, C., HØST, A. & ANDERSEN, K.E. A comparison between criteria for diagnosing atopic eczema in infants, 352
JOHNSON, A.M. see GUPTA, M.A.
JOHNSON, J. see COATES, P.
JOHNSON, P. see YUNG, A.
JOLLEY, D. see MARKS, R.
JONES, A.L. see NATARAJAN, S.
JONES, C.A. see FASSIHI, H.
JONES, L. see BLACK, A.P.
JONKMAN, M.F. see BUIJSROGGE, J.J.A.
JUGEAU, S., TENAUD, I., KNOL, A.C., JARROUSSE, V., QUEREUX, G., KHAMMARI, A. & DRENO, B. Induction of toll-like receptors by *Propionibacterium acnes*, 1105
JURY, C.S., RAMRAKA-JONES, V.S., GUDI, V. & HERD, R.M. A randomized trial of topical 5% 5-fluorouracil (Efudix® cream) in the treatment of actinic keratoses comparing daily with weekly treatment, 808

KADOYA, K., SASAKI, T., KOSTKA, G., TIMPL, R., MATSUZAKI, K., KUMAGAI, N., SAKAI, L.Y., NISHIYAMA, T. & AMANO, S. Fibulin-5 deposition in human skin: decrease with ageing and ultraviolet B exposure and increase in solar elastosis, 607
KAJERMO, U. see MICHAËLSSON, G.
KAŁUŻEWSKI, B. see ROBAK, E.
KAMADA, N. see YONEYAMA, K.
KAMATH, S. see HALLAI, N.
KAMINSKI, W.E. see MEYER, S.
KAMIYA, M. see TAKEUCHI, Y.
KANDA, A. see KANEKURA, T.
KANEKURA, T., FUKUSHIGE, T., KANDA, A., TSUYAMA, S., MURATA, F., SAKURABA, H. & KANZAKI, T. Immunoelectron-microscopic detection of globotriaosylceramide accumulated in the skin of patients with Fabry disease, 544
KANITAKIS, J. see DOEBELIN, B.
KANTARDJIEV, T. see ARABATZIS, M.
KANZAKI, T. see KANEKURA, T.
KAPP, A. see GUTZMER, R.
KARIYA, N. see SHIMOMURA, Y.
KATO, N. see KUROKAWA, I.
KATSAMBAS, A. see ARABATZIS, M.
KATUGAMPOLA, R.P., FINLAY, A.Y., HARPER, J.I., DOJCINOV, S. & MAUGHAN, T.S. Primary cutaneous CD30+ T-cell lymphoproliferative disorder following cardiac transplantation in a 15-year-old boy with Netherton's syndrome, 1041
KAUR, M.R. & LEWIS, H.M. Severe recalcitrant pyoderma gangrenosum treated with infliximab, 689
KAVANAGH, G.M. & SHAMS, K. Delivery of Botox® by iontophoresis: reply from authors, 1076
KAWAHARA, A. see YOSHIDA, M.
KAWAHARA, K. see YOSHIDA, M.
KAWAMURA, T. see INOZUME, T.
KAWASHIMA, T. see IWAO, F.
KAWASHIMA, T. see YONEYAMA, K.
KAYA, G. see CAMPANELLI, A.
KAYE, S.B. see YESUDIAN, P.D.
KAZANDJIEVA, J. see ANGELOVA-FISCHER, I.
KEALEY, T. see YANG, C-L.
KEANE, S. see MOLONEY, F.J.
KERL, H. see CERRONI, L.
KERL, H. see RICHTIG, E.
KERL, H. see WORDA, M.
KERL, K. see LÜBBE, J.
KERNOHAN, N.M. see FINLAN, L.E.
KERSTAN, A., ROSE, C., SIMON, D., SIMON, H-U., BRÖCKER, E-B., TRAUTMANN, A. & LEVERKUS, M. Bullous delayed pressure urticaria: pathogenic role for eosinophilic granulocytes?, 435
KHAMMARI, A. see JUGEAU, S.
KHAMMARI, A. see KNOL, A.C.

KHANDPUR, S. see AGARWAL, S.
KHORSHID, M. see PERRETT, C.M.
KIEMENEY, L.A.L.M. see VAN IERSEL, C.A.
KIETZMANN, M. see BÄUMER, W.
KIKUCHI, K. see SAKAI, S.
KIM, E.J. see YUN, S.J.
KIM, J.W. see YOON, T.Y.
KIM, M.K. see YOON, T.Y.
KIM, S-J. see YUN, S.J.
KIM, Y.G. see YOON, T.Y.
KIMMEL, R. see EGAWA, K.
KIMOTO, M. see ICHIKAWA, N.
KINOSHITA, K. see YONEYAMA, K.
KIRBY, B. see RICHARDS, H.L.
KIRBY, B. see TOBIN, A.M.
KIYOKANE, K. see YOKOTE, T.
KLEESZ, P. see FLUHR, J.W.
KLEMKE, C-D., MANSMANN, U., POENITZ, N., DIPPEL, E. & GOERDT, S. Prognostic factors and prediction of prognosis by the CTCL Severity Index in mycosis fungoides and Sézary syndrome, 118
KLESSEN, C. see FRÖHLICH, E.
KLUGER, N., GIRARD, C., BESSIS, D. & GUILLOT, B. Methysergide-induced scleroderma-like changes of the legs, 224
KNAB, J. see LEHNEN, M.
KNIERIM, C. see KREUTER, A.
KNOL, A.C., QUÉREUX, G., MARQUES-BRIAND, S., PANDOLFINO, M.C., KHAMMARI, A., GUILLOUX, Y. & DRENO, B. Pathogenetic mechanisms of vitiligo in a patient with Sézary syndrome, 1207
KNOL, A.C. see JUGEAU, S.
KNOL, E.F. see SCHORNAGEL, I.J.
KOBAYASHI, M. see ICHIKAWA, N.
KOBZA BLACK, A. see O'DONNELL, B.F.
KOERNER, R.J. see NATARAJAN, S.
KOH, D., NG, V., LEOW, Y-H. & GOH, C.L. A study of natural rubber latex allergens in gloves used by healthcare workers in Singapore, 954
KOH, J-K. see LEE, H-W.
KOH, J-K. see LEE, M-W.
KÖHN, F-M. see BRAUN-FALCO, M.
KÖHN, F-M. see GAUGER, A.
KOIVUNEN, J. see LEINONEN, P.T.
KOMATSU, N., SAIJOH, K., TOYAMA, T., OHKA, R., OTSUKI, N., HUSSACK, G., TAKEHARA, K. & DIAMANDIS, E.P. Multiple tissue kallikrein mRNA and protein expression in normal skin and skin diseases, 274
KOMINAMI, E. see NAKANO, N.
KORDEK, R. see ROBAK, E.
KORKIAMÄKI, T. see LEINONEN, P.T.
KOSTKA, G. see KADOYA, K.
KRAGBALLE, K. see OTKJAER, K.
KRÄNKE, B. see GRIMS, R.H.
KREUTER, A., KNIERIM, C., STÜCKER, M., PAWLAK, F., ROTTERDAM, S., ALTMEYER, P. & GAMBICHLER, T. Fumaric acid esters in necrobiosis lipoidica: results of a prospective noncontrolled study, 802
KREUTZMANN, P. see EGELRUD, T.
KRIEG, T. see ARIN, M.J.
KRUEGER, G.G., LANGLEY, R.G., FINLAY, A.Y., GRIFFITHS, C.E.M., WOOLLEY, J.M., LALLA, D. & JAHREIS, A. Patient-reported outcomes of psoriasis improvement with etanercept therapy: results of a randomized phase III trial, 1192
KRUSE, R. see DÁVALOS, N.O.
KUMAGAI, N. see KADOYA, K.
KUO, H-Y. see LAN, C-C.E.
KURACHI, C. see SOUZA, C.S.
KURCZAB, T. see YANG, C-L.
KUROKAWA, I., MIZUTANI, H., NISHIJIMA, S., KATO, N., YASUI, K. & TSUBURA, A. Trichoadenoma: cytokeratin expression suggesting differentiation towards the follicular infundibulum and follicular bulge regions, 1084
KUSAKABE, H. see YOKOTE, T.
KUSTERS, C.D.J. see VAN IERSEL, C.A.

LAGHI PASINI, F. see DI RENZO, M.
LAI, C.Y. see CHANG, Y.T.
LAIDLER, P. see HOLME, S.A.
LAIMER, M. see LANSCHUETZER, C.M.
LAIZ, A.M. see VILA, A.T.
LALINGA, A.V. see DE NISI, M.C.
LALLA, D. see KRUEGER, G.G.
LAN, C-C.E., CHEN, G-S., CHIOU, M-H., WU, C-S., CHANG, C-H. & YU, H-S. FK506 promotes melanocyte and melanoblast growth and creates a favourable milieu for cell migration via keratinocytes: possible mechanisms of how tacrolimus ointment induces repigmentation in patients with vitiligo, 498
LAN, C-C.E., YU, H-S., WU, C-S., KUO, H-Y., CHAI, C-Y. & CHEN, G-S. FK506 inhibits tumour necrosis factor-α secretion in human keratinocytes via regulation of nuclear factor-κB, 725
LANDTHALER, M. see MEYER, S.
LANG, J., BOXER, M. & MACKIE, R.M. *CDKN2A* mutations in Scottish families with cutaneous melanoma: results from 32 newly identified families, 1121
LANGLANDS, K. see YANG, C-L.
LANGLEY, R.G. see KRUEGER, G.G.
LANGTRY, J.A.A. see DIFFEY, B.L.
LANGTRY, J.A.A. see LONSDALE-ECCLES, A.A.
LANIGAN, S.W. see TAIBJEE, S.M.
LANSCHUETZER, C.M., EMBERGER, M., LAIMER, M., DIEM, A., BAUER, J.W., SOYER, H.P. & HINTNER, H. Epidermolysis bullosa naevi reveal a distinctive dermoscopic pattern, 97
LASHERAS, A. see AMICI, J.M.
LATTIMER, V. see ERSSER, S.J.
LAUBE, S. see TAIBJEE, S.M.
LEAUTE-LABREZE, C. see BORALEVI, F.

LEE, D.D. see CHANG, Y.T.
LEE, D-H. see YOUN, S-W.
LEE, D-K. see LEE, H-W.
LEE, H-W., LEE, D-K., OH, S-H., CHOI, J-C., LEE, M-W., CHOI, J-H., MOON, K-C. & KOH, J-K. Multiple eruptive dermatofibromas in a patient with primary pulmonary hypertension, 845
LEE, H-W., LEE, D-K., RHEE, D-Y., CHANG, S-E., CHOI, J-H., MOON, K-C. & KOH, J-K. Erythema annulare centrifugum following herpes zoster infection: Wolf's isotopic response?, 1241
LEE, J.Y-Y. see CHAO, S-C.
LEE, J.Y-Y. see LI, H-H.
LEE, J-B. see YUN, S.J.
LEE, M-W., JEE, K-J., GONG, G-Y., CHOI, J-H., MOON, K-C. & KOH, J-K. Comparative genomic hybridization in extramammary Paget's disease, 290
LEE, M-W. see LEE, H-W.
LEE, R.J. see MCKENNA, D.B.
LEE, S-C. see YUN, S.J.
LEGROS, L., CASSUTO, J-P. & ORTONNE, J-P. Imatinib mesilate (Glivec®): a systemic depigmenting agent for extensive vitiligo?, 691
LEHNEN, M., FRANCKSON, T., KNAB, J., HOEFT, D., GRABBE, S. & DISSEMOND, J. Successful infliximab therapy of psoriasis vulgaris and psoriatic arthritis in a patient with cirrhosis, 212
LEIBOVITCH, I., HUILGOL, S.C., SELVA, D., PAVER, R. & RICHARDS, S. Cutaneous lip tumours treated with Mohs micrographic surgery: clinical features and surgical outcome, 1147
LEIBU, R. see INDELMAN, M.
LEIGH, I.M. see ALAM, N.A.
LEINONEN, P.T., MYLLYLÄ, R.M., HÄGG, P.M., TUUKKANEN, J., KOIVUNEN, J., PELTONEN, S., OIKARINEN, A., KORKIAMÄKI, T. & PELTONEN, J. Keratinocytes cultured from patients with Hailey–Hailey disease and Darier disease display distinct patterns of calcium regulation, 113
LENGYEL, Zs. see CSETE, B.
LEONARDI, C.L. see GORDON, K.B.
LEOW, Y-H. see KOH, D.
LEPREUX, S. see BORALEVI, F.
LESLIE, K.S., MCCANN, B.G. & LEVELL, N.J. Candidal ecthyma gangrenosum in a patient with malnutrition, 847
LESSING, M.P.A. see HARWOOD, C.A.
LETRAN CAMACHO, A. see MARTÍN-MUÑOZ, M.F.
LEVELL, N.J. see LESLIE, K.S.
LEVERKUS, M. see KERSTAN, A.
LEWIS, D.A. see CHUANG, T-Y.
LEWIS, H.M. see KAUR, M.R.
LEYDEN, J.J. see COATES, P.
LEZAÚN, A. see GILABERTE, Y.
LI, G. see HO, C.K.
LI, G.L., VAN STEEG, T.J., PUTTER, H., VAN DER SPEK, J., PAVEL, S., DANHOF, M. & BOUWSTRA, J.A. Cutaneous side-effects of transdermal iontophoresis with and without surfactant pretreatment: a single-blinded, randomized controlled trial, 404
LI, H-H., LIN, Y-C., CHEN, P-J., HSIAO, C-H., LEE, J.Y-Y., CHEN, W-C., TZUNG, T-Y., WU, J-C. & CHANG, M-S. Interleukin-19 upregulates keratinocyte growth factor and is associated with psoriasis, 591
LI, P. see WANG, H.
LI, T. see WANG, J.
LI, W. see HATTORI, N.
LIAN, Y-J. see TAO, J.
LIANG, Y.H., GAO, M., SUN, L.D., LIU, L.J., CUI, Y., YANG, S., FAN, X., WANG, J., XIAO, F.L. & ZHANG, X.J. Two novel CYLD gene mutations in Chinese families with trichoepithelioma and a literature review of 16 families with trichoepithelioma reported in China, 1213
LIN, M.W. see CHANG, Y.T.
LIN, Y-C. see LI, H-H.
LITZENBURGER, T. see BOEHNCKE, W-H.
LIU, D.T.L. see CHAN, A.Y.K.
LIU, H.N. see CHANG, Y.T.
LIU, L.J. see LIANG, Y.H.
LIU, M-T. see CHANG, Y.T.
LLABERIA, C. see MORENO-ARIAS, G.A.
LLAMBRICH, A. see ZABALLOS, P.
LLORETA, J. see PUJOL, R.M.
LOCKWOOD, D.N.J. see LOO, W.J.
LOEWENSTEIN, M. see SCHALLER, M.
LOFFELD, A. see THOMSON, M.A.
LOK, C. see MARTIN, L.
LONSDALE-ECCLES, A.A. & LANGTRY, J.A.A. Treatment of digital myxoid cysts with infrared coagulation: a retrospective case series, 972
LONSDALE-ECCLES, A.A. & VELANGI, S. Topical pimecrolimus in the treatment of genital lichen planus: a prospective case series, 390
LOO, W.J., CHAN, S.K., RYTINA, E., LOCKWOOD, D.N.J., STERLING, J.C. & TODD, P. Five cases of cutaneous leishmaniasis in Cambridge, U.K., 1076
LOQUAI, C., METZE, D., NASHAN, D., LUGER, T.A. & BÖHM, M. Confetti-like lesions with hyperkeratosis: a novel ultraviolet-induced hypomelanotic disorder?, 190
LÜBBE, J., KERL, K., NEGRO, F. & SAURAT, J-H. Clinical and immunological features of hepatitis C treatment-associated dermatitis in 36 prospective cases, 1088
LUDWIG, R. see RICHTIG, E.
LUGER, T.A. see LOQUAI, C.
LUGER, T.A. see OJI, V.
LUPO, I., CEFALU, A.B., BONGIORNO, M.R., DANIELE, O., VALENTI, V., NOTO, D., CAMARDA, R., SAVETTIERI, G., ARICÒ, M. & AVERNA, M.R. A novel mutation of the extracellular matrix protein 1 gene (ECM1) in a patient with lipoid proteinosis (Urbach–Wiethe disease) from Sicily, 1019

MACGREGOR, C. see VUKMANOVIC-STEJIC, M.
MACK, A.F. see FRÖHLICH, E.

MACKIE, R.M. see LANG, J.
MADANS, B. see CHAUDHRY, S.I.
MÄGERT, H.J. see EGELRUD, T.
MAGNUS, P. see OLSEN, A.O.
MAHIQUES, L. see PARDO, J.
MAIN, C.J. see RICHARDS, H.L.
MALCHIODI, J. see CHAN, Y-C.
MALVEHY, J. see ZABALLOS, P.
MAN, J. see DYTOC, M.
MAÑA, J. see MARCOVAL, J.
MANSMANN, U. see KLEMKE, C-D.
MANSOORI, P. see ALIDAEE, M.R.
MANTOUX, F. see MARTIN, L.
MAO, R. see GUTZMER, R.
MARCOVAL, J., MAÑA, J., MORENO, A. & PEYRI, J. Subcutaneous sarcoidosis–clinicopathological study of 10 cases, 790
MARGHOOB, A.A. see CHEN, C-S.J.
MARIGIL, M.A. see GILABERTE, Y.
MARIONI, J.C. see MCKENNA, D.B.
MARIOTTI, F. see MARZANO, A.V.
MARKS, R., SCARFF, C.E., YAP, L.M., VERLINDEN, V., JOLLEY, D. & CAMPBELL, J. Fungiform papillary glossitis: atopic disease in the mouth?, 740
MARQUARDT, Y. see HINTERHUBER, G.
MARQUES-BRIAND, S. see KNOL, A.C.
MARSDEN, J.R. see THOMSON, M.A.
MARSDEN, R.A. see HARWOOD, C.A.
MARTÍN-MUÑOZ, M.F., LETRAN CAMACHO, A. & DE LUCAS LAGUNA, R. Topical treatment tacrolimus and food allergy, 842
MARTIN, L., PIETTE, F., BLANC, P., MORTIER, L., AVRIL, M-F., DELAUNARY, M.M., DRÉNO, B., GRANEL, F., MANTOUX, F., AUBIN, F., SASSOLAS, B., ADAMSKI, H., DALAC, S., PAUWELS, C., DOMPMARTIN, A., LOK, C., ESTÈVE, A. & GUILLOT, B. THE FRENCH GROUP FOR CUTANEOUS ONCOLOGY. Clinical variants of the preprotuberant stage of dermatofibrosarcoma protuberans, 932
MARTORANA, A. see CABIBI, D.
MARX, U.C. see EGELRUD, T.
MARZANO, A.V., VEZZOLI, P., MARIOTTI, F., BONESCHI, V., CAPUTO, R. & BERTI, E. Paraneoplastic pemphigus associated with follicular dendritic cell sarcoma and Castleman disease, 214
MARZANO, A.V. see CAPUTO, R.
MASON, D. see RICHARDS, H.L.
MASOUYÉ, I. see CAMPANELLI, A.
MASTROIANNI, A., MINUTILLI, E., MUSSI, A., BORDIGNON, V., TRENTO, E., D'AGOSTO, G., CORDIALI-FEI, P. & BERARDESCA, E. Cytokine profiles during infliximab monotherapy in psoriatic arthritis, 531
MATSUE, H. see INOZUME, T.
MATSUZAKI, K. see KADOYA, K.
MATTHEWS, S. see BASSI, E.
MAUGHAN, T.S. see KATUGAMPOLA, R.P.
MAYO, E. see CONDE-TABOADA, A.
MCBRIDE, S.R. see SHERGILL, B.
MCCANN, B.G. see LESLIE, K.S.
MCFADDEN, J.P. see HO, S.G.Y.
MCGRATH, J.A. see FASSIHI, H.
MCGREGOR, J.M. see PERRETT, C.M.
MCHUGH, N.J. see SMITH, C.H.
MCKENNA, D.B., MARIONI, J.C., LEE, R.J., PRESCOTT, R.J. & DOHERTY, V.R. Who should treat patients with primary melanoma?: reply from authors, 458
MCKENNA, K.E. see SMITH, C.H.
MCKENNA, S.P. see STEVENS, K.J.
MCLOONE, N. see BARAN, R.
MCQUAID, A. see VUKMANOVIC-STEJIC, M.
MEGGITT, S.J. see WAHIE, S.
MEMPEL, M., GROER, W., SCHNOPP, C., BURGGRAF, S., MÖHRENSCHLAGER, M., ENGST, R., RING, J. & HOFMANN, H. HHV8-positive Kaposi sarcoma in a long-term human immunodeficiency virus-exposed but uninfected patient carrying the CCR5-promoter mutation A59029G, 1220
MEMPEL, M. see GAUGER, A.
MENDELSOHN, S.S. see YESUDIAN, P.D.
MENNÉ, T. see SØSTED, H.
MERCADER, P. see PARDO, J.
MERCAN, E. see BULDANLIOGLU, S.
MERLO, V. see ALESSI, E.
MESSERITSCH, E. see GEUSAU, A.
METZE, D. see LOQUAI, C.
METZLER, G. see BENEDIX, F.
MEYER, S., NAUMANN, L., LANDTHALER, M. & VOGT, T. Lupus vulgaris caused by *Mycobacterium bovis* ssp. *caprae*, 220
MEYER, S., SZEIMIES, R-M., LANDTHALER, M. & HOHENLEUTNER, S. Cyclophosphamide–dexamethasone pulsed therapy for treatment of recalcitrant necrobiotic xanthogranuloma with paraproteinemia and ocular involvement, 443
MEYER, S., ZANARDO, L., KAMINSKI, W.E., HORN, P., SCHMITZ, G., HOHENLEUTNER, U., HERRMANN, W.A., LANDTHALER, M. & VOGT, T. Elastosis perforans serpiginosa-like pseudoxanthoma elasticum in a child with severe Moya Moya disease, 431
MICHAËLSSON, A. see MICHAËLSSON, G.
MICHAËLSSON, G., KAJERMO, U., MICHAËLSSON, A. & HAGFORSEN, E. Infliximab can precipitate as well as worsen palmoplantar pustulosis: possible linkage to the expression of tumour necrosis factor-α in the normal palmar eccrine sweat duct?, 1243
MILNE, D. see NATARAJAN, S.
MINOR, J.S. see CREDILLE, K.M.
MINUTILLI, E. see MASTROIANNI, A.
MIRACCO, C. see DE NISI, M.C.
MISAWA, Y. see HATTORI, N.
MITRA, A., POLLOCK, B., GOOI, J., DARLING, J.C., BOON, A. & NEWTON-BISHOP, J.A. Cutaneous granulomas associated with primary immunodeficiency disorders, 194
MITSUI, H. see INOZUME, T.
MIYAHARA, A. see INOZUME, T.
MIYAWAKI, Y. see EGAWA, K.

MIZUNO, Y., SUGA, Y., MURAMATSU, S., HASEGAWA, T., SHIMIZU, T. & OGAWA, H. A Japanese infant with localized ichthyosis linearis circumflexa on the palms and soles harbouring a compound heterozygous mutation in the *SPINK5* gene, 661
MIZUTANI, H. *see* KUROKAWA, I.
MIZUTANI, M. *see* INOZUME, T.
MODHAZAM, A. *see* HALLAI, N.
MOEZZI, M. *see* CSETE, B.
MÖHRENSCHLAGER, M. *see* MEMPEL, M.
MOLÈS, J-P., TESNIERE, A. & GUILHOU, J-J. A new endogenous retroviral sequence is expressed in skin of patients with psoriasis, 83
MOLONEY, F.J., KEANE, S., O'KELLY, P., CONLON, P.J. & MURPHY, G.M. The impact of skin disease following renal transplantation on quality of life, 574
MOON, K-C. *see* LEE, H-W.
MOON, K-C. *see* LEE, M-W.
MORENO, A. *see* MARCOVAL, J.
MORENO-ARIAS, G.A., CAMPS-FRESNEDA, A., LLABERIA, C. & PALOU-ALMERICH, J. Plasma cell balanitis treated with tacrolimus 0.1%, 1204
MORENO-RAMIREZ, D., FERRANDIZ, L. & CAMACHO, F.M. Are the ABCD signs useful for the management of solar lentigo?, 1083
MORGAN, C.J., COOPER, A.J., DYER, J.P. & FRIEDMANN, P.S. The publication rate of abstracts presented at the British Association of Dermatologists Annual Meeting, 855
MORIYAMA, Y. *see* YOSHIDA, M.
MORIZANE, S., SUZUKI, D., TSUJI, K., OONO, T. & IWATSUKI, K. The role of CD4 and CD8 cytotoxic T lymphocytes in the formation of viral vesicles, 981
MORIZANE, S., YAMAMOTO, T., HISAMATSU, Y., TSUJI, K., OONO, T., HASHIMOTO, T. & IWATSUKI, K. Pemphigus vegetans with IgG and IgA antidesmoglein 3 antibodies, 1236
MORTIER, L. *see* MARTIN, L.
MORTIMER, N.J. *see* CHAVE, T.A.
MORTIMER, N.J. *see* SLADDEN, M.J.
MORTIMER, P.S. *see* HARWOOD, C.A.
MOSELEY, H. *see* DAWE, R.S.
MUCHE, J.M. *see* GELLRICH, S.
MUHAMMAD, D. *see* NAEEM, M.
MUÑOZ-FERNANDEZ, M.A. *see* SEOANE REULA, E.
MURAGAKI, Y. *see* FUJIWARA, M.
MURAMATSU, S. *see* MIZUNO, Y.
MURATA, F. *see* KANEKURA, T.
MURPHY, G.M. *see* MOLONEY, F.J.
MURPHY, G.M. *see* THIEDEN, E.
MUSSI, A. *see* MASTROIANNI, A.
MUSTACCHIO, V. *see* CABIBI, D.
MYLLYLÄ, R.M. *see* LEINONEN, P.T.

NADA, E.A. *see* ADLY, M.A.
NAEEM, M., MUHAMMAD, D. & AHMAD, W. Novel mutations in the *EDAR* gene in two Pakistani consanguineous families with autosomal recessive hypohidrotic ectodermal dysplasia, 46
NAGAO, K. *see* FUJIMOTO, A.
NAGELKERKEN, L. *see* CASPARY, F.
NAKAGAWA, H., AKITA, S., FUKUI, M., FUJII, T. & AKINO, K. Human mesenchymal stem cells successfully improve skin-substitute wound healing, 29
NAKAJIMA, S. *see* TAKAHASHI, H.
NAKAMURA, Y. *see* INOZUME, T.
NAKANO, N., NAKAO, A., ISHIDOH, K., TSUBOI, R., KOMINAMI, E., OKUMURA, K. & OGAWA, H. CDK5 regulates cell–cell and cell–matrix adhesion in human keratinocytes, 37
NAKAO, A. *see* NAKANO, N.
NAKASHIMA, H., FUJIMOTO, M. & TAMAKI, K. Cutaneous reaction induced by vincristine, 225
NASEEM, K.M. *see* SOWDEN, H.M.
NASHAN, D. *see* LOQUAI, C.
NASIRI, N. *see* BOWLING, J.C.R.
NATARAJAN, S., MILNE, D., JONES, A.L., GOODFELLOW, M., PERRY, J. & KOERNER, R.J. *Dietzia* strain X: a newly described Actinomycete isolated from confluent and reticulated papillomatosis, 825
NAUMANN, L. *see* MEYER, S.
NAVÉ, B.T. *see* CASPARY, F.
NEGRO, F. *see* LÜBBE, J.
NEWTON-BISHOP, J.A. *see* MITRA, A.
NEWTON-BISHOP, J.A. *see* YUNG, A.
NG, V. *see* KOH, D.
NICKOLOFF, B.J. *see* GORDON, K.B.
NICOLAOU, N. *see* BLEIKER, T.O.
NIELAND, J.D. *see* CASPARY, F.
NIMMO, F. *see* GUDI, V.S.
NISHIJIMA, S. *see* KUROKAWA, I.
NISHIYAMA, T. *see* KADOYA, K.
NOËL, J-C., BUXANT, F., FAYT, I., DEBUSSCHERE, G. & PARENT, D. Vulval adenosis associated with toxic epidermal necrolysis, 457
NOERBY, P.L. *see* OTKJAER, K.
NOLL, S. *see* BOEHNCKE, W-H.
NORBERG, L.A. *see* JØHNKE, H.
NORGAUER, J. *see* FLUHR, J.W.
NÖTHEN, M.M. *see* DÁVALOS, N.O.
NOTO, D. *see* LUPO, I.
NOURSADEGHI, M. *see* BROWN, M.
NOVELLI, M. *see* PONTI, R.

OCHSENDORF, F.R. *see* BOEHNCKE, W-H.
O'DONNELL, B.F., FRANCIS, D.M., SWANA, G.T., SEED, P.T., KOBZA BLACK, A. & GREAVES, M.W. Thyroid autoimmunity in chronic urticaria, 331
O'KELLY, P. *see* MOLONEY, F.J.
OGAWA, H. *see* MIZUNO, Y.
OGAWA, H. *see* NAKANO, N.
OGG, G.S. *see* BLACK, A.P.
OH, S-H. *see* LEE, H-W.

OHKA, R. see KOMATSU, N.
OIKARINEN, A. see LEINONEN, P.T.
OJI, V., BELJAN, G., BEIER, K., TRAUPE, H. & LUGER, T.A. Topical pimecrolimus: a novel therapeutic option for Netherton syndrome, 1067
OKA, S. see YOKOTE, T.
OKOCHI, H. see YANO, S.
OKUMURA, K. see NAKANO, N.
OKUZUMI, K. see HATTORI, N.
OLIVEIRA-NETO, M.P. see DA-CRUZ, A.M.
OLIVER, V. see PARDO, J.
OLLERT, M. see GAUGER, A.
OLPIN, S. see ALAM, N.A.
OLSEN, A.O., GRJIBOVSKI, A., MAGNUS, P., TAMBS, K. & HARRIS, J.R. Psoriasis in Norway as observed in a population-based Norwegian twin panel, 346
OLSEN, J. see CVETKOVSKI, R.S.
ONOZUKA, T. see IWAO, F.
OONO, T. see MORIZANE, S.
OOSHIMA, A. see FUJIWARA, M.
ORMEROD, A.D. see GUDI, V.S.
ORMEROD, A.D. see SMITH, C.H.
ORMEROD, A.D. Recommendations in British Association of Dermatologists guidelines, 477
ORMEROD, A.D. Topical tacrolimus and pimecrolimus and the risk of cancer: how much cause for concern?, 701
ORPIN, S.D., HAFIJI, J., GOODYEAR, H.M. & SALIM, A. Ingestion of topical steroid triggering pustular psoriasis?, 680
ORTEU, C.H. see SHERGILL, B.
ORTON, D. see HARWOOD, C.A.
ORTONNE, J-P. see LEGROS, L.
OSBORNE, J.E. see SLADDEN, M.J.
OTANI, M. see YONEYAMA, K.
OTKJAER, K., KRAGBALLE, K., FUNDING, A.T., CLAUSEN, J.T., NOERBY, P.L., STEINICHE, T. & IVERSEN, L. The dynamics of gene expression of interleukin-19 and interleukin-20 and their receptors in psoriasis, 911
OTSUKI, N. see KOMATSU, N.

PAIGE, D. see HARWOOD, C.A.
PAL, H. see AGARWAL, S.
PALAZZO, M. see SELLERI, S.
PALOU-ALMERICH, J. see MORENO-ARIAS, G.A.
PANDEY, R.M. see AGARWAL, S.
PANDOLFINO, M.C. see KNOL, A.C.
PANG, K.R. see WU, J.J.
PARDO, J., MERCADER, P., MAHIQUES, L., SANCHEZ-CARAZO, J.L., OLIVER, V. & FORTEA, J.M. Infliximab in the management of severe pemphigus vulgaris, 222
PARENT, D. see NOËL, J-C.
PARK, E-S. see YOUN, S-W.
PARK, K-C. see YOUN, S-W.
PAS, H.H. see BUIJSROGGE, J.J.A.
PASCUAL, J.C., BELINCHÓN, I., SIVERA, F. & YUSTE, A. Severe cutaneous toxicity following treatment with gefitinib (ZD1839), 1222
PASQUI, A.L. see DI RENZO, M.
PASSONI, E. see CAPUTO, R.
PATEL, T. see GORDON, K.B.
PAUWELS, C. see MARTIN, L.
PAVEL, S. see LI, G.L.
PAVER, R. see LEIBOVITCH, I.
PAWLAK, F. see KREUTER, A.
PEARSE, A.D. see ANSTEY, A.V.
PEDERSEN, L.K., HELD, E., JOHANSEN, J.D. & AGNER, T. Less skin irritation from alcohol-based disinfectant than from detergent used for hand disinfection, 1142
PELTONEN, J. see LEINONEN, P.T.
PELTONEN, S. see LEINONEN, P.T.
PERIS, K. see THEINERT, S.M.
PERKINS, W. see BIRNIE, A.J.
PERONI, A. see PONTI, R.
PERRETT, C.M., HARWOOD, C.A., KHORSHID, M., CERIO, R. & MCGREGOR, J.M. Primary cutaneous B-cell lymphoma associated with actinic prurigo, 186
PERRY, J. see NATARAJAN, S.
PETROV, I. see ANGELOVA-FISCHER, I.
PEYRI, J. see MARCOVAL, J.
PFORR, J. see DÁVALOS, N.O.
PHILIPSEN, P.A. see THIEDEN, E.
PICOS-CÁRDENAS, V.J. see DÁVALOS, N.O.
PIETTE, F. see MARTIN, L.
PIGUET, V. see HSU, C.
PIRTOLI, L. see DE NISI, M.C.
PLANT, D. see RICHARDS, H.L.
PLEWIG, G. see SCHALLER, M.
POENITZ, N. see KLEMKE, C-D.
POLLOCK, B. see MITRA, A.
POMPELLA, G. see DI RENZO, M.
PONTI, R., QUAGLINO, P., NOVELLI, M., FIERRO, M.T., COMESSATTI, A., PERONI, A., BONELLO, L. & BERNENGO, M.G. T-cell receptor γ gene rearrangement by multiplex polymerase chain reaction/heteroduplex analysis in patients with cutaneous T-cell lymphoma (mycosis fungoides/Sézary syndrome) and benign inflammatory disease: correlation with clinical, histological and immunophenotypical findings, 565
POPP, A. see BOEHNCKE, W-H.
POWELL, A.M., ALBERT, S., BHOGAL, B. & BLACK, M.M. Discoid lupus erythematosus with secondary amyloidosis, 746
POWLES, A. see BOWLING, J.C.R.
PRAESSLER, J. see FLUHR, J.W.
PRESCOTT, R.J. see MCKENNA, D.B.
PRESTERL, E. see GEUSAU, A.
PRONEST, M.M. see THEINERT, S.M.
PUIG, L. see VILA, A.T.
PUIG, S. see ZABALLOS, P.
PUJOL, R.M., ALOMAR, A. & DE MORAGAS, J.M. A new type of erythrokeratoderma, or KLICK syndrome?, 461
PUJOL, R.M., GILABERTE, M., TOLL, A., FLORENSA, L., LLORETA, J., GONZÁLEZ-ENSEÑAT, M.A., FISCHER, J. & AZON, A. Erythrokeratoderma variabilis-like ichthyosis in Chanarin–Dorfman syndrome, 838

PUJOL, R.M. *see* GILABERTE, M.
PUTTER, H. *see* LI, G.L.

QU, T., WANG, B. & FANG, K. Familial atrophia maculosa varioliformis cutis: case report and pedigree analysis, 821
QUAGLINO, P. *see* PONTI, R.
QUEREUX, G. *see* JUGEAU, S.
QUÉREUX, G. *see* KNOL, A.C.

RADOJEVIC, S. *see* BRASANAC, D.
RAJADHYAKSHA, M. *see* CHEN, C-S.J.
RAMAM, M. *see* AGARWAL, S.
RAMRAKA-JONES, V.S. *see* JURY, C.S.
RAPPERSBERGER, K. *see* HINTERHUBER, G.
RAVENSCROFT, J.C. *see* COATES, P.
RAY, D.W. *see* RICHARDS, H.L.
REDDY, B.S.N. *see* GROVER, C.
REED, J.R. *see* VUKMANOVIC-STEJIC, M.
REITER, H. *see* GRIMS, R.H.
REVUZ, J. *see* VALEYRIE-ALLANORE, L.
REYNOLDS, N.J. *see* SMITH, C.H.
RHEE, D-Y. *see* LEE, H-W.
RHODES, L.E. *see* ANSTEY, A.V.
RICHARDS, H.L., RAY, D.W., KIRBY, B., MASON, D., PLANT, D., MAIN, C.J., FORTUNE, D.G. & GRIFFITHS, C.E.M. Response of the hypothalamic–pituitary–adrenal axis to psychological stress in patients with psoriasis, 1114
RICHARDS, S. *see* LEIBOVITCH, I.
RICHTIG, E., LUDWIG, R., KERL, H. & SMOLLE, J. Organ- and treatment-specific local response rates to systemic and local treatment modalities in stage IV melanoma, 925
RIEDL, E. *see* HINTERHUBER, G.
RIEGLER, E. *see* HOLZER, G.
RIGOPOULOS, D. *see* ARABATZIS, M.
RING, J. *see* GAUGER, A.
RING, J. *see* MEMPEL, M.
ROBAK, E., GÓRA-TYBOR, J., KORDEK, R., WAWRZYNIAK, E., BARTKOWIAK, J., BEDNAREK, A., CONSTANTINOU, M., KAŁUŻEWSKI, B. & ROBAK, T. Richter syndrome first manifesting as cutaneous B-cell lymphoma clonally distinct from primary B-cell chronic lymphocytic leukaemia, 833
ROBAK, T. *see* ROBAK, E.
ROBERTSHAW, H. & HIGGINS, E. Cutaneous infection with *Alternaria tenuissima* in an immunocompromised patient, 1047
RÖCKEN, M. *see* BENEDIX, F.
RODOLICO, V. *see* CABIBI, D.
ROGUES, A.M. *see* AMICI, J.M.
ROHRBACH, M. *see* CASPARY, F.
ROMANI, N. *see* HÖNLINGER, B.
RONET, C. *see* GAUGER, A.
ROSE, C. *see* KERSTAN, A.
ROTTERDAM, S. *see* KREUTER, A.
RUBEGNI, P. *see* DI RENZO, M.
RUMIO, C. *see* SELLERI, S.
RUSSELL-JONES, R. Diagnosing erythrodermic cutaneous T-cell lymphoma, 1
RUSSELL-JONES, R. Sentinel node and survival in melanoma, 1093
RUSSO, G. *see* ABENI, D.
RUSTIN, M.H.A. *see* SHERGILL, B.
RUSTIN, M.H.A. *see* VUKMANOVIC-STEJIC, M.
RYCROFT, R.J.G. *see* HO, S.G.Y.
RYTINA, E. *see* LOO, W.J.

SABALLS, P. *see* GILABERTE, M.
SAIJOH, K. *see* KOMATSU, N.
SAKAI, L.Y. *see* KADOYA, K.
SAKAI, S., KIKUCHI, K., SATOH, J., TAGAMI, H. & INOUE, S. Functional properties of the stratum corneum in patients with diabetes mellitus: similarities to senile xerosis, 319
SAKATA, I. *see* TAKAHASHI, H.
SAKURABA, H. *see* KANEKURA, T.
SALEK, M.S. *see* DAVID, S.E.
SALIM, A. *see* ORPIN, S.D.
SAMPOGNA, F. *see* ABENI, D.
SANCHEZ-CARAZO, J.L. *see* PARDO, J.
SANDOR, N. *see* GEUSAU, A.
SARAYAMA, Y. *see* ADACHI, A.
SASAKI, T. *see* KADOYA, K.
SASSOLAS, B. *see* MARTIN, L.
SATO, N. *see* SHIMOMURA, Y.
SATOH, J. *see* SAKAI, S.
SAURAT, J-H. *see* HSU, C.
SAURAT, J-H. *see* LÜBBE, J.
SAVETTIERI, G. *see* LUPO, I.
SAWAMURA, D. *see* YANAGI, T.
SAWYER, D. *see* DYTOC, M.
SBANO, P. *see* DI RENZO, M.
SCARFF, C.E. *see* MARKS, R.
SCHALLER, M., LOEWENSTEIN, M., BORELLI, C., JACOB, K., VOGESER, M., BURGDORF, W.H.C. & PLEWIG, G. Induction of a chemoattractive proinflammatory cytokine response after stimulation of keratinocytes with *Propionibacterium acnes* and coproporphyrin III, 66
SCHAUFUSS, P., BRASCH, J. & STELLER, U. Dermatophytes can trigger cooperative (CAMP-like) haemolytic reactions, 584
SCHELER, M. *see* WENZEL, J.
SCHMIDT, B. *see* HOLZER, G.
SCHMIDT, E., HERZOG, S., BRÖCKER, E-B., ZILLIKENS, D. & GOEBELER, M. Long-standing remission of recalcitrant juvenile pemphigus vulgaris after adjuvant therapy with rituximab, 449
SCHMITZ, G. *see* MEYER, S.
SCHNOPP, C. *see* GAUGER, A.
SCHNOPP, C. *see* MEMPEL, M.
SCHORNAGEL, I.J., KNOL, E.F., VAN WEELDEN, H., GUIKERS, C.L.H., BRUIJNZEEL-KOOMEN, C.A.F.M. & SIGURDSSON, V. Diagnostic phototesting in polymorphous light eruption: the optimal number of irradiations, 1234
SCHULER, G. *see* JACOBI, A.
SEARLE, A. *see* BOWLING, J.C.R.

SEED, P.T. see O'DONNELL, B.F.
SELLERI, S., ARNABOLDI, F., PALAZZO, M., HUSSEIN, U., BALSARI, A. & RUMIO, C. Caveolin-1 is expressed on multipotent cells of hair follicles and might be involved in their resistance to chemotherapy, 506
SELVA, D. see LEIBOVITCH, I.
SEOANE REULA, E., BELLON, J.M., GURBINDO, D. & MUÑOZ-FERNANDEZ, M.A. Role of antiretroviral therapies in mucocutaneous manifestations in HIV-infected children over a period of two decades, 382
SERA, F. see ABENI, D.
SERRANO, S. see GILABERTE, M.
SEYGER, M.M.B. see BOVENSCHEN, H.J.
SFORZA, C. see DONETTI, E.
SHAMS, K. see KAVANAGH, G.M.
SHARMA, V.K. see AGARWAL, S.
SHAW, H.M. see THOMPSON, J.F.
SHEEHAN-DARE, R. see BRITTON, J.E.R.
SHEEHAN-DARE, R. see YUNG, A.
SHEN, G-X. see TAO, J.
SHERGILL, B., ORTEU, C.H., MCBRIDE, S.R. & RUSTIN, M.H.A. Dementia associated with scleromyxoedema reversed by high-dose intravenous immunoglobulin, 650
SHEU, H-M. see CHAO, S-C.
SHIAO, Y.M. see CHANG, Y.T.
SHIBAGAKI, N. see INOZUME, T.
SHIBAKI, A. see YANAGI, T.
SHIMADA, S. see INOZUME, T.
SHIMIZU, A., AKIYAMA, M., ISHIKO, A., YOSHIIKE, T., SUZUMORI, K. & SHIMIZU, H. Prenatal exclusion of harlequin ichthyosis; potential pitfalls in the timing of the fetal skin biopsy, 811
SHIMIZU, H. see ADACHI, A.
SHIMIZU, H. see SHIMIZU, A.
SHIMIZU, H. see YANAGI, T.
SHIMIZU, T. see MIZUNO, Y.
SHIMOMURA, Y., SATO, N., KARIYA, N., TAKATSUKA, S. & ITO, M. Netherton syndrome in two Japanese siblings with a novel mutation in the SPINK5 gene: immunohistochemical studies of LEKTI and other epidermal molecules, 1026
SHINKAI, H. see YONEYAMA, K.
SHIRAI, A. see HATTORI, N.
SIGURDSSON, V. see SCHORNAGEL, I.J.
SIMON, D. see KERSTAN, A.
SIMON, H-U. see KERSTAN, A.
SIMONART, T. & DRAMAIX, M. Treatment of acne with topical antibiotics: lessons from clinical studies, 395
SIVERA, F. see PASCUAL, J.C.
SLADDEN, M.J. & HUTCHINSON, P.E. Is melatonin useful in alopecia: critical appraisal of a randomized trial?, 859
SLADDEN, M.J., MORTIMER, N.J. & OSBORNE, J.E. Longitudinal melanonychia and pseudo-Hutchinson sign associated with amlodipine, 219
SLADDEN, M.J. see CHAVE, T.A.
SLATER, D.N. The new World Health Organization–European Organization for Research and Treatment of Cancer classification for cutaneous lymphomas: a practical marriage of two giants, 874
SMITH, C.H., Anstey, A.V., Barker, J.N.W.N., Burden, A.D., Chalmers, R.J.G., Chandler, D., Finlay, A.Y., Grifiths, C.E.M., Jackson, K., McHugh, N.J., McKenna, K.E., Reynolds, N.J., Ormerod, A.D. (Chair of Guideline Group) British Association of Dermatologists guidelines for use of biological interventions in psoriasis 2005, 486
SMOLLE, J. see RICHTIG, E.
SÖGNER, P. see BALTACI, M.
SOLIMAN, M. see ADLY, M.A.
SOLOMON, P. Delivery of Botox® by iontophoresis, 1075
SØSTED, H., HESSE, U., MENNÉ, T., ANDERSEN, K.E. & JOHANSEN, J.D. Contact dermatitis to hair dyes in a Danish adult population: an interview-based study, 132
SOUZA, C.S., FELÍCIO, L.B.A., BENTLEY, M.V., TEDESCO, A.C., FERREIRA, J., KURACHI, C. & BAGNATO, V.S. Topical photodynamic therapy for Bowen's disease of the digit in epidermolysis bullosa, 672
SOWDEN, H.M., NASEEM, K.M. & TOBIN, D.J. Differential expression of nitric oxide synthases in human scalp epidermal and hair follicle pigmentary units: implications for regulation of melanogenesis, 301
SOYER, H.P. see LANSCHUETZER, C.M.
SPANDAU, D.F. see CHUANG, T-Y.
SPAUWEN, P.H.M. see VAN IERSEL, C.A.
SPRECHER, E. see INDELMAN, M.
SREEVIDYA, C.S. see WORDA, M.
STABLES, G. see BRITTON, J.E.R.
STABLES, G.I. see COATES, P.
STANTE, M., DE GIORGI, V. & CARLI, P. Can dermopscopy improve the poor reliability of clinical approach in the diagnosis of lentigo maligna of the face?, 1084
STAVRAKIEVA, V. see ARABATZIS, M.
STECKELINGS, U.M., HENZ, B.M., WIEHSTUTZ, S., UNGER, T. & ARTUC, M. Differential expression of angiotensin receptors in human cutaneous wound healing, 887
STEIJLEN, P.M. see VAN STEENSEL, M.A.M.
STEINICHE, T. see OTKJAER, K.
STELLER, U. see SCHAUFUSS, P.
STERLING, J.C. see LOO, W.J.
STERRY, W. see GELLRICH, S.
STERRY, W. see THEINERT, S.M.
STEVENS, J.C. see HARWOOD, C.A.
STEVENS, K.J., BRAZIER, J.E., MCKENNA, S.P., DOWARD, L.C. & CORK, M.J. The development of a preference-based measure of health in children with atopic dermatitis, 372
STICHERLING, M. see BUSS, Y-L.
STRINGER, M. see BRITTON, J.E.R.
STÜCKER, M. see KREUTER, A.
SUGA, Y. see MIZUNO, Y.
SUGIURA, M. see FUJIMOTO, A.
SUGIURA, Y. see HATTORI, N.
SÜLZLE, B. see BÄUMER, W.
SUN, L.D. see LIANG, Y.H.

SUN, X-K., XU, A-E., CHEN, J-F. & TANG, X. The double-RNA-specific adenosine deaminase (DSRAD) gene in dyschromatosis symmetrica hereditaria patients: two novel mutations and one previously described, 342
SUNDBY, J. see DALGARD, F.
SURRIDGE, H. see ERSSER, S.J.
SUZUKI, D. see MORIZANE, S.
SUZUKI, T. & TOMITA, Y. A Korean case of oculocutaneous albinism type IV caused by a D157N mutation in the *MATP* gene: reply from authors, 1073
SUZUMORI, K. see SHIMIZU, A.
SVENSSON, Å. see DALGARD, F.
SWANA, G.T. see O'DONNELL, B.F.
SZEIMIES, R-M. see MEYER, S.

TAGAMI, H. see SAKAI, S.
TAHERI, A. see ALIDAEE, M.R.
TAIBJEE, S.M., CHEUNG, S-T., LAUBE, S. & LANIGAN, S.W. Controlled study of excimer and pulsed dye lasers in the treatment of psoriasis, 960
TAÏEB, A. see AMICI, J.M.
TAIEB, A. see BORALEVI, F.
TAKAHASHI, H., NAKAJIMA, S., SAKATA, I., ISHIDA-YAMAMOTO, A. & IIZUKA, H. ATX-S10(Na)–photodynamic therapy is less carcinogenic for mouse skin compared with ultraviolet B irradiation, 1182
TAKAHASHI, M., HORIUCHI, Y. & TEZUKA, T. Large haematoxylin-stainable keratohyaline granules in solar keratoses: immunohistochemical comparison using anti-Ted-H-1 antibody and antiloricrin antibody, 976
TAKATSUKA, S. see SHIMOMURA, Y.
TAKEHARA, K. see KOMATSU, N.
TAKEUCHI, Y., TAMURA, A., KAMIYA, M., FUKUDA, T. & ISHIKAWA, O. Immunohistochemical analyses of p63 expression in cutaneous tumours, 1230
TAMAKI, K. see HATTORI, N.
TAMAKI, K. see JINNIN, M.
TAMAKI, K. see NAKASHIMA, H.
TAMBS, K. see OLSEN, A.O.
TAMURA, A. see TAKEUCHI, Y.
TANAKA, K. see FUJIMOTO, A.
TANAKA, M. see ICHIKAWA, N.
TANG, X. see SUN, X-K.
TANIKAWA, A. see ICHIKAWA, N.
TAO, J., TU, Y-T., HUANG, C-Z., FENG, A-P., WU, Q., LIAN, Y-J., ZHANG, L-X., ZHANG, X-P. & SHEN, G-X. Inhibiting the growth of malignant melanoma by blocking the expression of vascular endothelial growth factor using an RNA interference approach, 715
TE MORSCHE, R.H.M. see BURNS, T.M.
TEDESCO, A.C. see SOUZA, C.S.
TENAUD, I. see JUGEAU, S.
TESNIERE, A. see MOLÈS, J-P.
TEZUKA, T. see TAKAHASHI, M.
THEINERT, S.M., PRONEST, M.M., PERIS, K., STERRY, W. & WALDEN, P. Identification of the testis-specific protein 10 (TSGA10) as serologically defined tumour-associated antigen in primary cutaneous T-cell lymphoma, 639
THIEDEN, E., COLLINS, S.M., PHILIPSEN, P.A., MURPHY, G.M. & WULF, H.C. Ultraviolet exposure patterns of Irish and Danish gardeners during work and leisure, 795
THOMAS, L. see AMICI, J.M.
THOMAS, L. see DALLE, S.
THOMAS, L. see DOEBELIN, B.
THOMPSON, J.F. & SHAW, H.M. Who should treat patients with primary melanoma?, 459
THOMSON, G. see FINLAN, L.E.
THOMSON, M.A., LOFFELD, A. & MARSDEN, J.R. More skin cancer detected from nonurgent referrals, 453
THORNHILL, M.H. see ZAKRZEWSKA, J.M.
TIMPL, R. see KADOYA, K.
TING, P.T. see DYTOC, M.
TINTELNOT, K. see GEUSAU, A.
TOBIN, A.M. & KIRBY, B. Successful treatment of recalcitrant acrodermatitis continua of Hallopeau with adalimumab and acitretin, 445
TOBIN, D.J. see SOWDEN, H.M.
TODD, P. see LOO, W.J.
TODOROVIC, V. see BRASANAC, D.
TOLL, A. see PUJOL, R.M.
TOMANOVIC, N. see BRASANAC, D.
TOMITA, Y. see SUZUKI, T.
TORCHIA, D. see CAPRONI, M.
TOSCANO, M. see DE NISI, M.C.
TOYAMA, T. see KOMATSU, N.
TRAULSEN, J. see BLEIKER, T.O.
TRAUPE, H. see OJI, V.
TRAUTMANN, A. see KERSTAN, A.
TRAYNOR, N.J. see BEATTIE, P.E.
TRENTO, E. see MASTROIANNI, A.
TSAI, S.F. see CHANG, Y.T.
TSAI, T.F. see WANG, T.C.
TSAI, W.L. see WANG, T.C.
TSANKOV, N. see ANGELOVA-FISCHER, I.
TSCHERNIG, T. see BÄUMER, W.
TSUBOI, R. see NAKANO, N.
TSUBURA, A. see KUROKAWA, I.
TSUJI, K. see MORIZANE, S.
TSUJI, M. see YOKOTE, T.
TSUKAMOTO, K. see INOZUME, T.
TSUYAMA, S. see KANEKURA, T.
TU, Y-T. see TAO, J.
TURKMEN, S. see BULDANLIOGLU, S.
TURNER, R.J. see BLACK, A.P.
TÜTING, T. see WENZEL, J.
TUUKKANEN, J. see LEINONEN, P.T.
TYRING, S.K. see WU, J.J.
TZANKOV, A. see BALTACI, M.
TZUNG, T-Y. see LI, H-H.

UDAGAWA, S-I. see FUJIMOTO, A.
UERLICH, M. see WENZEL, J.

UMA CHATURVEDI, K. see GROVER, C.
UNGER, T. see STECKELINGS, U.M.
URBAN, M. see BOEHNCKE, W-H.
URSO, C. Sentinel node biopsy in problematic melanocytic lesions, 864
UTANI, A. see YONEYAMA, K.

VABRES, P. see BORALEVI, F.
VACCARO, M. see BORGIA, F.
VACH, W. see JØHNKE, H.
VALACCHI, G., FORTINO, V. & BOCCI, V. The dual action of ozone on the skin, 1096
VALENTI, V. see LUPO, I.
VALEYRIE-ALLANORE, L., ISMAÏLI, N., BASTUJI-GARIN, S., ZELLER, J., WECHSLER, J., REVUZ, J. & WOLKENSTEIN, P. Symptoms associated with malignancy of peripheral nerve sheath tumours: a retrospective study of 69 patients with neurofibromatosis 1, 79
VAN DE KERKHOF, P.C.M. see BOVENSCHEN, H.J.
VAN DE KERKHOF, P.C.M. Once daily vs. twice daily applications of topical treatments in psoriasis, 1245
VAN DE VELDEN, H.V.N. see VAN IERSEL, C.A.
VAN DER SPEK, J. see LI, G.L.
VAN GEEL, M. see VAN STEENSEL, M.A.M.
VAN IERSEL, C.A., VAN DE VELDEN, H.V.N., KUSTERS, C.D.J., SPAUWEN, P.H.M., BLOKX, W.A.M., KIEMENEY, L.A.L.M. & GERRITSEN, M.J.P. Prognostic factors for a subsequent basal cell carcinoma: implications for follow-up, 1078
VAN STEEG, T.J. see LI, G.L.
VAN VOORHEES, A.S. see DANS, M.
VAN WEELDEN, H. see SCHORNAGEL, I.J.
VARDAR, M. see BULDANLIOGLU, S.
VELANGI, S. see LONSDALE-ECCLES, A.A.
VAN STEENSEL, M.A.M., VAN GEEL, M. & STEIJLEN, P.M. A new type of erythrokeratoderma, or KLICK syndrome?: reply from authors, 462
VELEGRAKI, A. see ARABATZIS, M.
VENEGONI, L. see ALESSI, E.
VERLINDEN, V. see MARKS, R.
VERZAAL, P. see CASPARY, F.
VEZZOLI, P. see MARZANO, A.V.
VIDAL, D. see VILA, A.T.
VILA, A.T., PUIG, L., FERNÁNDEZ-FIGUERAS, M.T., LAIZ, A.M., VIDAL, D. & ALOMAR, A. Adverse cutaneous reactions to anakinra in patients with rheumatoid arthritis: clinicopathological study of five patients, 417
VITZITHUM, K. see EGELRUD, T.
VOGESER, M. see SCHALLER, M.
VOGT, T. see MEYER, S.
VOIT, C. see GELLRICH, S.
VUKMANOVIC-STEJIC, M., MCQUAID, A., BIRCH, K.E., REED, J.R., MACGREGOR, C., RUSTIN, M.H.A. & AKBAR, A.N. Relative impact of CD4+CD25+ regulatory T cells and tacrolimus on inhibition of T-cell proliferation in patients with atopic dermatitis, 750
VYAKRNAM, S. see COATES, P.

WAHIE, S. & MEGGITT, S.J. Myotoxicity occurring with ciclosporin in a patient with atopic dermatitis, 1238
WALDEN, M. see EGELRUD, T.
WALDEN, P. see THEINERT, S.M.
WALDHERR, D. see BOEHNCKE, W-H.
WALKER, S.L. & BECK, M.H. Undiagnosed Hailey–Hailey disease causing painful erosive skin changes during patch testing, 233
WALLENGREN, J. & DAHLBÄCK, K. Familial brachioradial pruritus, 1016
WANG, B. see QU, T.
WANG, H., GAO, X-H., WANG, Y-K., LI, P., HE, C-D., XIE, Y. & CHEN, H-D. Expression of haptoglobin in human keratinocytes and Langerhans cells, 894
WANG, J., BU, D.F., LI, T., ZHENG, R., ZHANG, B.X., CHEN, X.X. & ZHU, X.J. Autoantibody production from a thymoma and a follicular dendritic cell sarcoma associated with paraneoplastic pemphigus, 558
WANG, J. see LIANG, Y.H.
WANG, T.C., JEE, S.H., TSAI, T.F., HUANG, Y.L., TSAI, W.L. & CHEN, R.H. Role of breast tumour kinase in the *in vitro* differentiation of HaCaT cells, 282
WANG, W.J. see CHANG, Y.T.
WANG, Y-K. see WANG, H.
WARREN, R.B. & GRIFFITHS, C.E.M. The potential of pharmacogenetics in optimizing the use of methotrexate for psoriasis, 869
WAWRZYNIAK, E. see ROBAK, E.
WEBER, F. see BALTACI, M.
WECHSLER, J. see VALEYRIE-ALLANORE, L.
WEIGT, H. see BÄUMER, W.
WENZEL, J., BRÄHLER, S., BAUER, R., BIEBER, T. & TÜTING, T. Efficacy and safety of methotrexate in recalcitrant cutaneous lupus erythematosus: results of a retrospective study in 43 patients, 157
WENZEL, J., SCHELER, M., BIEBER, T. & TÜTING, T. Evidence for a role of type I interferons in the pathogenesis of dermatomyositis, 462
WENZEL, J., UERLICH, M., WÖRRENKÄMPER, E., FREUTEL, S., BIEBER, T. & TÜTING, T. Scarring skin lesions of discoid lupus erythematosus are characterized by high numbers of skin-homing cytotoxic lymphocytes associated with strong expression of the type I interferon-induced protein MxA, 1011
WERFEL, T. see GUTZMER, R.
WESSAGOWIT, V. see FASSIHI, H.
WHITE, I.R. see HO, S.G.Y.
WHITE, M.I. see GUDI, V.S.
WIEHSTUTZ, S. see STECKELINGS, U.M.
WILCKE, T. see HEUKELBACH, J.
WILKS, A. see GELLRICH, S.
WILLIAMS, M. see ANGELOVA-FISCHER, I.
WILLIAMS, P.E. see CHUA, I.C.
WINTER, B. see HEUKELBACH, J.
WOLF, P. see WORDA, M.
WOLFF, K. see HINTERHUBER, G.

WOLKENSTEIN, P. see VALEYRIE-ALLANORE, L.
WOLTERS, M. Diet and psoriasis: experimental data and clinical evidence, 706
WON, Y.H. see YUN, S.J.
WOODS, J.A. see BEATTIE, P.E.
WOOLLEY, J.M. see KRUEGER, G.G.
WORDA, M., SREEVIDYA, C.S., ANANTHASWAMY, H.N., CERRONI, L., KERL, H. & WOLF, P. T1796A BRAF mutation is absent in Merkel cell carcinoma, 229
WÖRRENKÄMPER, E. see WENZEL, J.
WU, C-S. see LAN, C-C.E.
WU, J.J., HUANG, D.B., PANG, K.R., HSU, S. & TYRING, S.K. Thalidomide: dermatological indications, mechanisms of action and side-effects, 254
WU, J-C. see LI, H-H.
WU, Q. see TAO, J.
WU, S. see CHANG, Y.T.
WULF, H.C. see THIEDEN, E.

XIAO, F.L. see LIANG, Y.H.
XIE, Y. see WANG, H.
XIFRA, A., CARRASCOSA, J.M. & FERRÁNDIZ, C. Narrow-band ultraviolet B in aquagenic pruritus, 1233
XU, A-E. see SUN, X-K.

YAMADA, Y. see ADACHI, A.
YAMADA, Y. see YOSHIDA, M.
YAMAGAMI, J. see FUJIMOTO, A.
YAMAMOTO, T. see MORIZANE, S.
YAMANE, K. see JINNIN, M.
YAMANO, T. see YOKOTE, T.
YANAGI, T., SAWAMURA, D., SHIBAKI, A. & SHIMIZU, H. Treatment for poikilodermatous erythema of dermatomyositis with the pulsed dye laser, 862
YANG, C-H. see CHU, C-Y.
YANG, C-L., KURCZAB, T., DOWN, G., KEALEY, T. & LANGLANDS, K. Gene expression profiling of the ageing rat vibrissa follicle, 22
YANG, M-H. see CHAO, S-C.
YANG, S. see LIANG, Y.H.
YANO, S. & OKOCHI, H. Long-term culture of adult murine epidermal keratinocytes, 1101
YAP, L.M. see MARKS, R.
YASUI, K. see KUROKAWA, I.
YAZAWA, N. see JINNIN, M.
YENICE, N. see BULDANLIOGLU, S.
YESUDIAN, P.D., ARMSTRONG, S., CAWOOD, J.I., ALLAN, R.B., MENDELSOHN, S.S. & KAYE, S.B. Mucous membrane pemphigoid: management of advanced ocular disease with intravenous cyclophosphamide and amniotic membrane transplantation, 692
YOKOTE, T., AKIOKA, T., OKA, S., YAMANO, T., HARA, S., HIGASHI, K., ENOMOTO, U., KUSAKABE, H., KIYOKANE, K., TSUJI, M. & HANAFUSA, T. Irinotecan (CPT-11) in the treatment of mycosis fungoides, 1086
YOKOYAMA, K. see HATTORI, N.
YONEYAMA, K., KAMADA, N., KINOSHITA, K., KAWASHIMA, T., OTANI, M., ENDO, H., SHINKAI, H. & UTANI, A. Androgen-deprivation regimen for multiple bone metastases of extramammary Paget disease, 853
YOON, T.Y., KIM, Y.G., KIM, J.W. & KIM, M.K. Nodal marginal zone lymphoma in association with hydroa vacciniforme-like papulovesicular eruption, hypersensitivity to mosquito bites and insect bite-like reaction, 210
YOSHIDA, M., YAMADA, Y., KAWAHARA, K., HASHIMOTO, Y., MORIYAMA, Y., KAWAHARA, A. & ITOH, M. Development of follicular rash in measles, 1226
YOSHIIKE, T. see SHIMIZU, A.
YOUN, S-W., PARK, E-S., LEE, D-H., HUH, C-H. & PARK, K-C. Does facial sebum excretion really affect the development of acne?, 919
YU, H-S. see LAN, C-C.E.
YULE, S. see DAWE, R.S.
YUN, S.J., KIM, E.J., KIM, S-J., LEE, S-C., WON, Y.H. & LEE, J-B. The association of naevus lipomatosus with pilosebaceous abnormalities including fibrofolliculoma, 209
YUNG, A. & NEWTON-BISHOP, J.A. A case of Bazex–Dupré–Christol syndrome associated with multiple genital trichoepitheliomas, 682
YUNG, A. & SHEEHAN-DARE, R. A comparative study of a 595-nm with a 585-nm pulsed dye laser in refractory port wine stains, 601
YUNG, A., JOHNSON, P. & GOODFIELD, M.J.D. Isotretinoin-induced elkonyxis, 671
YUSTE, A. see PASCUAL, J.C.

ZABALLOS, P., LLAMBRICH, A., PUIG, S. & MALVEHY, J. Dermoscopy is useful for the recognition of benign–malignant compound tumours, 653
ZAKRZEWSKA, J.M., CHAN, E-Y. & THORNHILL, M.H. A systematic review of placebo-controlled randomized clinical trials of treatments used in oral lichen planus, 336
ZALAUDEK, I., FERRARA, G., DI STEFANI, A. & ARGENZIANO, G. Dermoscopy for challenging melanoma; how to raise the 'red flag' when melanoma clinically looks benign, 200
ZANARDO, L. see MEYER, S.
ZELGER, B. see DUNST, K.M.
ZELGER, B.G. see DUNST, K.M.
ZELLER, J. see VALEYRIE-ALLANORE, L.
ZHANG, B.X. see WANG, J.
ZHANG, L-X. see TAO, J.
ZHANG, X.J. see LIANG, Y.H.
ZHANG, X-P. see TAO, J.
ZHENG, R. see WANG, J.
ZHU, X.J. see WANG, J.
ZILLIKENS, D. see SCHMIDT, E.
ZOMBAI, E. see CSETE, B.

Subject index

acantholytic dermatosis, persistent, with extensive lentiginous freckling (Correspondence) 217, (Correspondence) 218
acitretin with adalimumab in treatment of acrodermatitis continua of Hallopeau (Correspondence) 445
acne
 efficacy of oral isotretinoin in control of skin and nasal colonization by antibiotic-resistant *Propionibacterium* 1126
 and facial sebum excretion 919
 infantile (Abstract) 470
 treatment with topical antibiotics 395
acrodermatitis continua of Hallopeau, treatment with adalimumab and acitretin (Correspondence) 445
actinic keratoses
 cyclin A and β-catenin expression 1166
 topical 5% 5-fluorouracil cream in weekly and daily treatment 808
actinic prurigo with primary cutaneous B-cell lymphoma (Case Report) 186
adalimumab
 with acitretin in treatment of acrodermatitis continua of Hallopeau (Correspondence) 445
 effect on Langerhans cell density in psoriatic plaques 945
 mycosis fungoides-associated follicular mucinosis following therapy (Correspondence) 207
adult T-cell leukaemia/lymphoma, long-term management with etretinate (Correspondence) 1239
ageing
 and gene expression profiling of rat vibrissa follicle 22
 and skin cancer incidence (Correspondence) 679
alcohol-induced cutaneous IgA-associated vasculitis (Case Report) 1037
allergens, early exposure and atopic dermatitis (Abstract) 475
allergic contact dermatitis, modulation of dendritic cell function in elicitation phase by cilomilast, tacrolimus and rapamycin 136
alopecia, usefulness of melatonin (Correspondence) 859, (Correspondence) 860
Alternaria tenuissima cutaneous infection in immunocompromised patient (Case Report) 1047
amlodipine-associated longitudinal melanonychia and pseudo-Hutchinson sign (Correspondence) 219
amphotericin B, liposomal, in treatment of cutaneous leishmaniasis (Case Report) 203
amyloidosis, secondary, with discoid lupus erythematosus 746
anakinra, adverse cutaneous reactions in patients with rheumatoid arthritis (Concise Communication) 417
androgen-deprivation regimen for multiple bone metastases in extramammary Paget's disease (Correspondence) 853
aneurysmal fibrous histiocytoma (Correspondence) 664
angiotensin receptor differential expression in human cutaneous wound healing 887
antibiotics, topical, in acne 395
antidesmoglein 3 antibodies in pemphigus vegetans (Correspondence) 1236
antidesmoplakin autoantibodies, peptide-specific human, detection by ELISA (Concise Communication) 413
antidiuretic hormone in relation to average total body transepidermal water loss in severe atopic dermatitis, 359
antiepiligrin cicatricial pemphigoid without mucous membrane involvement (Correspondence) 1080
anti-ICAM-1 in psoriasis–SCID mouse model 758
antiretroviral therapies, role in mucocutaneous manifestations in childhood HIV infection 382
aphthous stomatitis, silver nitrate cautery 521
aquagenic pruritus, narrow-band UVB therapy (Correspondence) 1233
atopic dermatitis
 comparison between criteria for diagnosis in infants 352
 comparison with plaque psoriasis and lichen planus for lesional T-cell subsets, epidermal proliferation and differentiation 72
 development of preference-based measure of health in children 372
 and early allergen exposure (Abstract) 475
 inhibition of T-cell proliferation 750
 myotoxicity occurring with ciclosporin therapy (Correspondence) 1238
 OSAAD score 767
 serum antidiuretic hormone in relation to average total body transepidermal water loss 359
atrophia maculosa varioliformis cutis, familial (Case Report) 821

B-chronic lymphocytic leukaemia in association with necrobiosis lipoidica-like lesions (Correspondence) 694
barrier function, additive impairment by mechanical irritation, occlusion and sodium lauryl sulphate 125
basal cell carcinoma, prognostic factors for recurrence and implications for follow-up (Correspondence) 1078
Bazex–Dupré–Christol syndrome associated with multiple genital trichoepithelioma (Correspondence) 682
BEES, Annual Meeting 474
Behçet's disease
 infliximab treatment of severe orogenital ulceration in (Correspondence) 1073
 nitric oxide, lipid peroxidation and antioxidant defence system 526
benign–malignant compound tumour recognition by dermoscopy (Case Report) 653

β-catenin expression in actinic keratosis, Bowen's disease and squamous cell carcinoma 1166
botulinum toxin
delivery by iontophoresis (Correspondence) 1075, (Correspondence) 1076
place in treatment of focal hyperhidrosis (Correspondence) 460, (Correspondence) 461
Bowen's disease
cyclin A and β-catenin expression 1166
in epidermolysis bullosa, topical photodynamic therapy (Correspondence) 672
use of pulsed dye laser in 5-ALA phototherapy 780
brachioradial pruritus, familial (Concise Communication) 1016
Brazil, epidemiology and morbidity of pediculosis capitis and scabies in resource-poor communities 150
breast skin organotypic culture, early epidermal response after single dose of γ-rays 881
breast tumour kinase, role in *in vitro* differentiation of HaCaT cells 282
British Association of Dermatologists
guidelines for use of biological interventions in psoriasis 486
publication rate of abstracts presented at Annual Meeting (Correspondence) 855
recommendations in guidelines 477
British Epidemo-Epidemiology Society, Annual Meeting 474
British Society of Paediatric Dermatology, Annual Meeting 467
bullous delayed pressure urticaria, pathogenic role for eosinophilic granulocytes (Case Report) 435
bullous pemphigoid, annual incidence and mortality in Grampian Region (Concise Communication) 424

calcifying panniculitis following subcutaneous nadroparin–calcium injection in osteomalacia (Case Report) 657
candidal ecthyma gangrenosum with malnutrition (Correspondence) 847
Castleman disease with paraneoplastic pemphigus and follicular dendritic cell sarcoma (Correspondence) 214
caveolin-1 expression on multipotent cells of hair follicles and involvement in chemotherapy resistance 506
CDK5 regulation of cell–cell and cell–matrix adhesion in human keratinocytes 37
CDKN2A gene mutations in Scottish families with melanoma 1121
CDX2 in diagnosis of extramammary Paget's disease (Correspondence) 677
cellulitis, cryptococcal, in lung transplant recipient (Correspondence) 1068
cetuximab therapy, isotretinoin treatment of acneiform skin lesions associated (Correspondence) 849
Chanarin–Dorfman syndrome, erythrokeratoderma variabilis-like ichthyosis in (Case Report) 838
cicatricial pemphigoid, antiepiligrin, without mucous membrane involvement (Correspondence) 1080
ciclosporin myotoxicity occurring with therapy in atopic dermatitis (Correspondence) 1238
cilomilast modulation of dendritic cell function in elicitation phase of allergic contact dermatitis 136
cold urticaria, disease course and outcome (Correspondence) 440
collagen, secretion of factors involved in turnover by keloid-derived fibroblasts 295
confetti-like lesions with hyperkeratosis, UV-induced hypomelanotic disorder (Case Report) 190
confluent and reticulated papillomatosis, isolation of newly described Actinomycete *Dietzia* strain X (Case Report) 825
contact dermatitis
allergic, modulation of dendritic cell function in elicitation phase by cilomilast, tacrolimus and rapamycin 136
to hair dyes in Danish adult population 132
coproporphyrin III, induction of chemoattractive photoinflammatory cytokine response after keratinocyte stimulation with 66
corneodesmosin gene non-sense mutation in hypotrichosis simplex of the scalp (Gene Corner) 1216
corticosteroids, topical, pustular psoriasis following ingestion (Correspondence) 680
cosmetic dermatology (Correspondence) 1225
cowpox, generalized infection transmitted from a rat (Correspondence) 451
Crohn's disease, colonic, with linear IgA disease (Case Report) 1050
cryptococcal cellulitis in lung transplant recipient (Correspondence) 1068
CTCL Severity Index prediction of prognosis in Sézary syndrome and mycosis fungoides 118
cutaneous B-cell lymphoma, Richter syndrome manifesting as (Case Report) 833
cutaneous lupus erythematosus, recalcitrant, efficacy and safety of methotrexate 157
cutaneous lymphoma, WHO–EORTC classification 874
cutaneous T-cell lymphoma
and benign inflammatory disease, T-cell receptor gene rearrangements 565
erythrodermic, diagnosis 1
identification of testis-specific protein-10 as tumour-associated antigen (Concise Communication) 639
usefulness of clonality for cases clinically and/or histopathologically not recognized 368
cyclin A expression in actinic keratosis, Bowen's disease and squamous cell carcinoma 1166
cyclophosphamide–dexamethasone pulsed therapy in recalcitrant necrobiotic xanthogranuloma (Correspondence) 443
CYLD gene mutations in Chinese families with trichoepithelioma (Gene Corner) 1213
cytokeratin expression suggesting differentiation towards the follicular infundibulum and follicular bulge regions in trichoadenoma (Correspondence) 1084

cytotoxic drug-associated atrophic telogen effluvium, pretreatment with topical vitamin D_3 analogue 103

Darier disease, patterns of calcium regulation in keratinocytes 113
Dead Sea salt balneophototherapy compared with narrowband UVB monotherapy in treatment of chronic plaque psoriasis 613
Degos disease with protein S deficiency (Correspondence) 666
dementia in scleromyxoedema reversed by intravenous immunoglobulin (Case Report) 650
dental materials, investigation of reactions to (Review) 479
depression, comorbidity with rosacea 1176
dermatitis, hepatitis C treatment-associated, clinical and immunological features (Correspondence) 1088
dermatofibroma, multiple eruptive, with primary pulmonary hypertension (Correspondence) 845
dermatofibrosarcoma protuberans, clinical variants of preprotuberant stage 932
dermatological surgery, prospective study of incidence of complications 967
dermatomyositis
 evidence for role of type I interferons in pathogenesis (Correspondence) 462, (Correspondence) 463
 poikilodermatous erythema in, laser therapy (Correspondence) 862
dermatophytes, cooperative (CAMP-like) haemolytic reactions triggered by 584
dermoscopy
 for challenging melanoma (Case Report) 200
 distinctive pattern in epidermolysis bullosa naevi 97
 improvement of reliability of clinical approach in the diagnosis of facial lentigo maligna (Correspondence) 1084
 and recognition of benign–malignant compound tumours (Case Report) 653
DHCR7 gene in photosensitive Smith–Lemli–Opitz syndrome 774
diabetes mellitus
 decreased incidence of nonmelanoma skin cancer in patients using insulin 552
 functional properties of stratum corneum 319
diet and psoriasis (Review) 706
Dietzia strain X, isolation from confluent and reticulated papillomatosis (Case Report) 825
digital accelerometers, limb-worn, as quantifiers of disease activity in pruritic children (Abstract) 471
digital myxoid cysts, treatment with infrared coagulation 972
discoid lupus erythematosus
 scarring skin lesions characterized by skin-homing cytotoxic lymphocytes associated with strong expression of protein MxA (Concise Communication) 1011
 with secondary amyloidosis 746
docetaxel
 radiation recall dermatitis following administration (Correspondence) 674
 recall dermatitis on laser treatment sites (Correspondence) 441
doxorubicin, pegylated liposomal, in stage IVB mycosis fungoides (Concise Communication) 183
DSRAD gene mutations in dyschromatosis symmetrica hereditaria 342, (Gene Corner) 1064
dyschromatosis symmetrica hereditaria, *DSRAD* gene mutations in 342, (Gene Corner) 1064
ECM1 gene mutation in lipoid proteinosis (Concise Communication) 1019

ecthyma gangrenosum, candidal, with malnutrition (Correspondence) 847
ectodermal dysplasias, a case series (Abstract) 472
EDAR gene mutations in consanguineous families with autosomal recessive hypohidrotic ectodermal dysplasia 46
efalizumab in treatment of psoriasis, dermatitis associated (Correspondence) 843
elkonyxis, isotretinoin-induced (Correspondence) 671
eosinophilic angiocentric fibrosis with granuloma faciale (Correspondence) 851
eosinophilic granulocytes, pathogenic role in bullous delayed pressure urticaria (Case Report) 435
epidermolysis bullosa
 autologous keratinocyte grafting (Abstract) 468
 Bowen's disease, topical photodynamic therapy (Correspondence) 672
 distinctive dermoscopic pattern in naevi 97
epidermolytic hyperkeratosis, mild recessive, associated with keratin 10 mutation in Norfolk terriers 51
erythema annulare centrifugum following herpes zoster (Correspondence) 1241
erythermalgia, autosomal dominant primary, genetic heterogeneity and exclusion of modifying locus at 2q in a family (Concise Communication) 174
erythrodermic cutaneous T-cell lymphoma, diagnosis 1
erythrokeratoderma, new type (Correspondence) 461, (Correspondence) 462
erythropoietic protoporphyria with palmoplantar keratoderma (Abstract) 471
etanercept
 patient-reported outcomes of improvement with therapy in psoriasis 1192
 in treatment of psoriatic onychopachydermoperiostosis (Correspondence) 858
Etomoxir inhibition of fatty acid oxidation in psoriasis 937
etretinate for long-term management of adult T-cell leukaemia/lymphoma (Correspondence) 1239
extracorporeal photopheresis, effects on monocyte interleukin production in chronic graft-versus-host disease 59

Fabry disease, globotriaosylceramide accumulation in skin 544
facial haemangioma with supraumbilical raphe, as *forme fruste* of PHACES syndrome (Case Report) 1053
facial lentigo maligna, diagnosis by dermoscopy (Correspondence) 1084

familial cold autoinflammatory syndrome, novel CIAS mutation (Abstract) 472
fibroblasts
keloid-derived, secretion of factors involved in collagen turnover and dependence on matrix metalloproteinase for migration 295
modulation of melanoma-associated growth factor expression by UVA and UVB 733
fibrofolliculoma with naevus lipomatosus (Correspondence) 209
fibromyxoid sarcoma localized to nail region (Correspondence) 686
fibulin-5 deposition in human skin, effects of ageing, UVB exposure and solar elastosis 607
FK506, promotion of melanocyte and melanoblast growth and creation of milieu for keratinocyte migration 498
FK5506, inhibition of TNF-á secretion in human keratinocytes 725
5-fluorouracil cream in weekly and daily treatment of actinic keratoses 808
focal hyperhidrosis, botulinum toxin type A treatment (Correspondence) 460, (Correspondence) 461
follicular dendritic cell sarcoma
with Castleman disease and paraneoplastic pemphigus (Correspondence) 214
with paraneoplastic pemphigus, autoantibody production 558
follicular mucinosis and mycosis fungoides following adalimumab therapy (Correspondence) 207
follicular rash in measles (Correspondence) 1226
food allergy and topical tacrolimus treatment (Correspondence) 842
fumarate hydratase mutations (Topical Review) 11
fumaric acid esters
in necrobiosis lipoidica 802
in severe psoriasis 549
fungiform papillary glossitis 740
Fusarium proliferatum, onychomycosis due to (Case Report) 647
γ-rays, early epidermal response after single dose in organotypic culture of human breast skin 881

gangrene of the upper extremities in a neonate (Abstract) 473
gardeners, UV exposure patterns of Irish and Danish gardeners during work and leisure 795
gefitinib
severe cutaneous toxicity (Correspondence) 1222
in treatment of advanced cutaneous squamous cell carcinoma (Correspondence) 234
genital lichen planus, topical pimecrolimus therapy 390
giant melanocytic naevus, congenitally eroded, clinical resolution (Abstract) 469
glans penis, ectopic hair (Correspondence) 218
globotriaosylceramide accumulation in skin of patients with Fabry disease 544
glossitis, fungiform papillary 740
gloves, natural rubber latex allergens in gloves used by healthcare workers in Singapore 954
graft-versus-host disease, effect of extracorporeal photopheresis on monocyte interleukin production in chronic disease 59
granuloma, cutaneous, associated with primary immunodeficiency disorders (Case Report) 194
granuloma faciale
with eosinophilic angiocentric fibrosis (Correspondence) 851
local IL-5 production (Correspondence) 454

HaCaT cells, role of breast tumour kinase in *in vitro* differentiation 282
Hailey–Hailey disease
patterns of calcium regulation in keratinocytes 113
undiagnosed, painful erosive skin changes during patch testing (Correspondence) 233
hair, ectopic, on glans penis (Correspondence) 218
hair dye-induced contact dermatitis in Danish adult population 132
hair follicles, caveolin-1 expression on multipotent cells and involvement in chemotherapy resistance 506
hand disinfection, skin irritation from alcohol-based disinfectant and detergent 1142
hand eczema, occupational, relation between patients' and physicians' severity assessment 596
haptoglobin expression in human keratinocytes and Langerhans cells 894
harlequin ichthyosis, prenatal exclusion (Concise Communication) 811
healthcare workers, natural rubber latex allergens in gloves used by in Singapore 954
heart transplantation
in Netherton syndrome, primary cutaneous T-cell lymphoproliferative disorder following (Case Report) 1041
sign of Leser-Trélat in recipient (Correspondence) 861
heparin, subcutaneous, response of chronic urticaria (Correspondence) 216
hepatitis C infection
induction of Meyerson's naevi by IFN-á and ribavirin therapy (Correspondence) 1070
treatment-associated dermatitis (Correspondence) 1088
hereditary mucoepithelial dysplasia, clinical, ultrastructural and genetic study and literature review 310
herpes zoster, erythema annulare centrifugum following (Correspondence) 1241
histiocytosis, indeterminate cell, chemotherapeutic experience (Correspondence) 206
HIV infection
in childhood, role of antiretroviral therapies in mucocutaneous manifestations 382
and Kaposi sarcoma, recurrent and self-healing cutaneous monoclonal plasmablastic infiltrates (Case Report) 828
hK5, inhibition by LEKTI domain 6 (Concise Communication) 1200

hK7, inhibition by LEKTI domain 6 (Concise Communication) 1200
human mesenchymal stem cells and skin substitute wound healing 29
human papillomavirus
HPV 1-induced wart, local hypertrichosis associated (Correspondence) 1224
novel type (HPV 95) (Correspondence) 688
human tissue kallikreins, multiple mRNA and protein expression in normal skin and disease 274
hypericin enhancement of erythemal response during high-dose UVA therapy 1187
hyperkeratosis with confetti-like lesions, UV-induced hypomelanotic disorder (Case Report) 190
hypertrichosis, local, associated with HPV type 1-induced wart (Correspondence) 1224
hypohidrotic ectodermal dysplasia, autosomal recessive, *EDAR* gene mutations in consanguineous families 46
hypothalamic–pituitary–adrenal axis response to psychological stress in psoriasis 1114
hypotrichosis, with juvenile macular dystrophy in siblings (Concise Communication) 635
hypotrichosis simplex of the scalp, non-sense mutation in *corneodesmosin* gene (Gene Corner) 1216

ichthyosis, erythrokeratoderma variabilis-like, in Chanarin–Dorfman syndrome (Case Report) 838
ichthyosis linearis circumflexa localized to palms and soles, Japanese infant with compound heterozygous mutation in SPINK5 gene (Gene Corner) 661
imatinib mesilate as systemic depigmenting agent in vitiligo (Correspondence) 691
imiquimod, case series on use in morphoea (Concise Communication) 815
indeterminate cell histiocytosis, chemotherapeutic experience (Correspondence) 206
infantile acne (Abstract) 470
infliximab
cytokine profiles in monotherapy of psoriatic arthritis 531
precipitation and worsening of palmoplantar pustulosis (Correspondence) 1243
in psoriatic arthritis and psoriasis in patient with cirrhosis (Correspondence) 212
in refractory pemphigus vulgaris (Correspondence) 448
in severe orogenital ulceration in Behçet's disease (Correspondence) 1073
in severe pemphigus vulgaris (Correspondence) 222
in severe recalcitrant pyoderma gangrenosum (Correspondence) 689
infrared coagulation treatment of digital myxoid cysts 972
interferons, evidence for role in pathogenesis of dermatomyositis (Correspondence) 462, (Correspondence) 463
interleukins
dynamics of gene expression of IL-19 and IL-30 and their receptors in psoriasis 911
effects of extracorporeal photopheresis on production by monocytes in chronic graft-versus-host disease 59
IL-19 upregulation of keratinocyte growth factor and association with psoriasis 591
local IL-5 production in granuloma faciale (Correspondence) 454
intravenous immunoglobulin, reversal of scleromyxoedema-associated dementia (Case Report) 650
iontophoresis, transdermal, cutaneous side-effects with and without surfactant pretreatment 404
irinotecan in treatment of mycosis fungoides (Correspondence) 1086
isotretinoin
efficacy in control of skin and nasal colonization by antibiotic-resistant *Propionibacterium* in acne 1126
elkonyxis induced by (Correspondence) 671
treatment of acneiform skin lesions associated with cetuximab therapy (Correspondence) 849

Kaposi sarcoma
HHV8+, in HIV-exposed but uninfected patient (Correspondence) 1220
in HIV infection, recurrent and self-healing cutaneous monoclonal plasmablastic infiltrates (Case Report) 828
keloid-derived fibroblasts, secretion of factors involved in collagen turnover and dependence on matrix metalloproteinase for migration 295
keratin 10 mutation in Norfolk terriers with mild recessive epidermolytic hyperkeratosis 51
keratinocytes
adult murine epidermal, long-term culture 1101
autologous grafting in epidermolysis bullosa (Abstract) 468
from Hailey–Hailey disease and Darier disease, patterns of calcium regulation 113
haptoglobin expression 894
human
inhibition of TNF-á secretion by FK506 725
regulation of cell–cell and cell–matrix adhesion by CDK5 37
modulation of melanoma-associated growth factor expression by UVA and UVB 733
stimulation by *P. acnes* and coproporphyrin III, induction of chemoattractive photoinflammatory cytokine response 66
KLICK syndrome (Correspondence) 461, (Correspondence) 462

Langerhans cell haptoglobin expression 894
laser therapy
docetaxel-induced recall dermatitis on sites of (Correspondence) 441
of poikilodermatous erythema in dermatomyositis (Correspondence) 862
psoriasis 960
refractory port wine stains 601
latex, natural rubber latex allergens in gloves used by healthcare workers in Singapore 954
leiomyoma, predisposition to cutaneous and uterine (Topical Review) 11

leishmaniasis
American tegumentary, flow cytometric analysis of cellular infiltrate 537
cutaneous
cases in Cambridge (Correspondence) 1076
liposomal amphotericin B treatment (Case Report) 203
LEKTI, immunohistochemical studies (Concise Communication) 1026
lentiginous freckling, extensive, with persistent acantholytic dermatosis (Correspondence) 217, 218
lentigo maligna, facial, diagnosis by dermoscopy (Correspondence) 1084
lentigo maligna melanoma, presurgical margin mapping by multimodal *in vivo* optical imaging (Case Report) 1031
levamisole in treatment of limited and slowly spreading vitiligo 163
lichen planus
comparison with plaque psoriasis and atopic dermatitis for lesional T-cell subsets, epidermal proliferation and differentiation 72
genital, topical pimecrolimus therapy 390
oral, systematic review of placebo-controlled randomized clinical trials of treatments 336
linear IgA disease
with colonic Crohn's disease (Case Report) 1050
recalcitrant, mycophenolate mofetil treatment (Abstract) 469
lipoid proteinosis, novel mutation of ECM1 gene (Concise Communication) 1019
lips, cutaneous tumours treated with Mohs' micrographic surgery 1147
lung transplant recipient, cryptococcal cellulitis (Correspondence) 1068
lupus vulgaris, due to *Mycobacterium bovis* ssp. *caprae* (Correspondence) 220
lymphocytes, tumour-infiltrating, and melanoma tumorigenesis (Review) 18

macular dystrophy, juvenile, with hypotrichosis in siblings (Concise Communication) 635
maladie dermatophytique (Concise Communication) 1023
malnutrition, with candidal ecthyma gangrenosum (Correspondence) 847
mastocytosis
neonatal cutaneous (Abstract) 468
new variant (Case Report) 642
MATP gene mutation in type IV oculocutaneous albinism (Correspondence) 1072, (Correspondence) 1073
matrix metalloproteinase dependence of keloid-derived fibroblasts for migration 295
measles, follicular rash in (Correspondence) 1226
melanocytic lesions, sentinel node biopsy (Correspondence) 864
melanocytic naevi, distribution and colocalization of markers for proliferation, invasion, motility and neoangiogenesis 1159
melanoma
CDKN2A mutations in Scottish families 1121
dermoscopy (Case Report) 200
distribution and colocalization of markers for proliferation, invasion, motility and neoangiogenesis 1159
growth inhibition by blocking VEGF expression 715
mutant p53 cell line response to CP-31398-induced apoptosis 900
sentinel nodes and survival 1093, 1137
stage IV, organ- and treatment-specific local response rates to systemic and local treatment modalities 925
and sunscreens 378
treatment of (Correspondence) 458, (Correspondence) 459
tumorigenesis and tumour-infiltrating lymphocytes (Review) 18
melanoma-associated growth factors, differential expression in keratinocytes and fibroblasts by UVA and UVB 733
melanonychia, longitudinal, associated with amlodipine (Correspondence) 219
melatonin in alopecia (Correspondence) 859, (Correspondence) 860
meningococcaemia, chronic (Correspondence) 669
mental health and self-reported skin morbidity 145
Merkel cell carcinoma, absence of T1796A *BRAF* mutation (Correspondence) 229
methotrexate
efficacy and safety in recalcitrant cutaneous lupus erythematosus 157
in psoriasis, potential of pharmacogenetics for optimization 869
methysergide, scleroderma-like changes of the legs induced by (Correspondence) 224
Meyerson's naevus induced by IFN-á and ribavirin therapy in hepatitis C infection (Correspondence) 1070
Mohs' micrographic surgery of cutaneous tumours of the lips 1147
morphoea, case series on use of imiquimod (Concise Communication) 815
Moya Moya disease, elastosis perforans serpiginosa-like pseudoxanthoma elasticum in a child with severe disease (Case Report) 431
mucormycosis, first cutaneous case caused by *Rhizopus azygosporus* (Case Report) 428
mucous membrane pemphigoid, management of advanced ocular disease (Correspondence) 692
multiple eruptive dermatofibroma with primary pulmonary hypertension (Correspondence) 845
Mycobacterium bovis ssp. *caprae*, lupus vulgaris due to (Correspondence) 220
mycophenolate mofetil in treatment of recalcitrant linear IgA disease (Abstract) 469
mycosis fungoides
circulating CD8+ lymphocytes, white blood cells and survival 324
and follicular mucinosis following adalimumab therapy (Correspondence) 207

irinotecan treatment (Correspondence) 1086
prognostic factors and prediction of prognosis by CTCL Severity Index 118
stage IVB, pegylated liposomal doxorubicin (Concise Communication) 183
myxoid cysts, digital, treatment with infrared coagulation 972

nadroparin–calcium, calcifying panniculitis following subcutaneous injection in osteomalacia (Case Report) 657
naevus lipomatosus with pilosebaceous abnormalities (Correspondence) 209
nails
diagnosis of psoriasis 1153
fibromyxoid sarcoma localized to (Correspondence) 686
necrobiosis lipoidica, fumaric acid esters in 802
neonate
cutaneous mastocytosis (Abstract) 468
gangrene of the upper extremities (Abstract) 473
transient bullous dermolysis of the newborn (Case Report) 1058
Netherton syndrome (Abstract) 470
in Japanese siblings with novel SPINK5 gene mutation (Concise Communication) 1026
novel therapy with topical pimecrolimus (Correspondence) 1067
primary cutaneous T-cell lymphoproliferative disorder following heart transplantation in (Case Report) 1041
neurofibromatosis, symptoms associated with malignancy 79
neurotrophin-3 expression in human scalp skin and hair follicles 514
NHS Walk-in Centre, primary care-based nurse-led, analysis of skin care patient mix 992
nitric oxide in Behçet's disease 526
nitric oxide synthase differential expression in human scalp epidermal and hair follicle pigmentary units 301
nodal marginal zone lymphoma with hydroa vacciniforme-like papulovesicular eruption, mosquito bite hypersensitivity and insect bite-like reaction (Correspondence) 210
Norfolk terriers, mild recessive epidermolytic hyperkeratosis associated with keratin 10 mutation 51
Norway, psoriasis in a population-based twin panel 346

Objective Severity Assessment of Atopic Dermatitis score, validity, reliability and sensitivity 767
occupational hand eczema, relation between patients' and physicians' severity assessment 596
oculocutaneous albinism, type IV Korean case caused by MATP gene mutation (Correspondence) 1072, (Correspondence) 1073
onychomycosis
caused by Fusarium proliferatum (Case Report) 647
proximal white subungual as complication of systemic spread (Concise Communication) 1023
onychopachydermoperiostosis, psoriatic, improvement with etanercept (Correspondence) 858
oral lichen planus, systematic review of placebo-controlled randomized clinical trials of treatments 336
OSAAD score, validity, reliability and sensitivity 767
osteomyelitis, chronic, superficial granulomatous pyoderma associated (Correspondence) 684
outpatient consultations, discussion related to quality of life 997
ozone, dual action on skin (Topical Review) 1096

p53 phosphorylation in normal human skin *in vivo*, differential effects of photodynamic therapy and PUVA 1001
p63, immunohistochemical analysis of expression in cutaneous tumours (Correspondence) 1230
Paget's disease, extramammary
androgen-deprivation regimen for multiple bone metastases (Correspondence) 853
comparative genomic hybridization in 290
spontaneous regression after excision of primary apocrine carcinoma (Correspondence) 676
usefulness of CDX2 in diagnosis (Correspondence) 677
palmoplantar keratoderma with erythropoietic protoporphyria (Abstract) 471
palmoplantar pustulosis, precipitation and worsening due to infliximab (Correspondence) 1243
panniculitis, calcifying, following subcutaneous nadroparin–calcium injection in osteomalacia (Case Report) 657
papillomatosis, florid cutaneous, social exclusion associated (Correspondence) 667
paraneoplastic pemphigus
with follicular dendritic cell sarcoma and Castleman disease (Correspondence) 214
with thymoma and follicular dendritic cell sarcoma, autoantibody production 558
para-phenylenediamine allergy, strength of patch test reaction 364
patch testing
necessity (Correspondence) 842
painful erosive skin changes due to undiagnosed Hailey–Hailey disease (Correspondence) 233
strength of reaction in para-phenylenediamine allergy 364
pediculosis capitis, epidemiology and morbidity in resource-poor communities in Brazil 150
pemphigus vegetans with antidesmoglein 3 antibodies (Correspondence) 1236
pemphigus vulgaris
recalcitrant juvenile, remission after rituximab therapy (Correspondence) 449
refractory, infliximab therapy (Correspondence) 448
rituximab therapy 620
severe, infliximab therapy (Correspondence) 222
penicillin, masked exposure, intensive care unit treatment following (Correspondence) 228
peripheral nerve sheath tumours, symptoms associated with malignancy 79
PHACES syndrome, forme fruste (Case Report) 1053

photodynamic therapy
comparison of carcinogenicity with UVB for mouse skin 1182
effects on p53 phosphorylation in normal human skin *in vivo* 1001
topical for Bowen's disease of the digit in epidermolysis bullosa (Correspondence) 672
photosensitivity (Abstract) 469
phototherapy, use of pulsed dye laser in 5-ALA phototherapy of Bowen's disease 780
pimecrolimus
in Netherton syndrome (Correspondence) 1067
and risk of cancer 701
topical therapy in genital lichen planus 390
plasma cell balanitis, tacrolimus treatment (Concise Communication) 1204
plasma retinol-binding protein receptor expression in nonmelanoma skin cancer 785
poikilodermatous erythema in dermatomyositis, laser therapy (Correspondence) 862
polymorphous light eruption, diagnostic phototesting (Correspondence) 1234
port wine stains, refractory, laser therapy 601
primary cutaneous B-cell lymphoma
with actinic prurigo (Case Report) 186
rituximab therapy 167
primary cutaneous T-cell lymphoproliferative disorder following heart transplantation in Netherton syndrome (Case Report) 1041
primary immunodeficiency disorders associated with cutaneous granulomas (Case Report) 194
progesterone, effects and side-effects of 2% cream on skin of peri- and post-menopausal women 626
Propionibacterium acnes
antibiotic-resistant, efficacy of oral isotretinoin in control of skin and nasal colonization in acne 1126
induction of chemoattractive photoinflammatory cytokine response after keratinocyte stimulation with 66
induction of toll-like receptors by 1105
protein S deficiency with Degos disease (Correspondence) 666
proximal white subungual onychomycosis as complication of systemic spread (Concise Communication) 1023
pruritus
aquagenic, narrow-band UVB (Correspondence) 1233
familial brachioradial (Concise Communication) 1016
limb-worn digital accelerometers as quantifiers of disease activity (Abstract) 471
pseudo-Hutchinson sign associated with amlodipine (Correspondence) 219
pseudoxanthoma elasticum, elastosis perforans serpiginosa-like in a child with severe Moya Moya disease (Case Report) 431
psoriasis
association with interleukin-19 591
British Association of Dermatologists guidelines for use of biological interventions 486
chronic plaque, comparison of efficacy of Dead Sea salt balneophototherapy and narrowband UVB monotherapy 613
decision-taking and dermatology life quality index bands (Abstract) 475
and diet (Review) 706
dynamics of gene expression of IL-19 and IL-30 and their receptors 911
efalizumab therapy, dermatitis associated (Correspondence) 843
effect of adalimumab on Langerhans cell density in plaques 945
efficacy of monoclonal antibody anti-ICAM-1 in psoriasis–SCID mouse model 758
endogenous retroviral sequence expression in skin of patients 83
inhibition of fatty acid oxidation by Etomoxir 937
laser therapy 960
methotrexate therapy, potential of pharmacogenetics for optimization 869
nail, diagnosis 1153
once daily vs. twice daily applications of topical treatments (Correspondence) 1245
patient-reported outcomes of improvement with etanercept therapy 1192
plaque, comparison with atopic dermatitis and lichen planus for lesional T-cell subsets, epidermal proliferation and differentiation 72
in a population-based Norwegian twin panel 346
with psoriatic arthritis, infliximab treatment in patient with cirrhosis (Correspondence) 212
PSORS1C1 gene polymorphism in Chinese patients 90
pustular, following ingestion of topical corticosteroids (Correspondence) 680
quality of life scales (Abstract) 476
and response of hypothalamic–pituitary–adrenal axis to psychological stress 1114
severe, fumaric acid esters 549
psoriatic arthritis
cytokine profiles in infliximab monotherapy 531
infliximab treatment in patient with cirrhosis (Correspondence) 212
psoriatic onychopachydermoperiostosis, improvement with etanercept (Correspondence) 858
PSORS1C1 gene polymorphism in Chinese patients with psoriasis 90
pulmonary hypertension
and multiple eruptive dermatofibromas (Correspondence) 845
with sclerosing panniculitis in systemic sclerosis 579
PUVA, effects on p53 phosphorylation in normal human skin *in vivo* 1001
pyoderma gangrenosum
anticoagulant-responsive, associated with underlying prothrombotic dysfibrinogenaemia (Correspondence) 1081
severe recalcitrant, infliximab therapy (Correspondence) 689

quality of life
and decision-taking in psoriasis (Abstract) 475
discussion related to in dermatology outpatient consultations 997
impact of skin disease following renal transplantation 574
overview of measurement in paediatric dermatology (Abstract) 476
scales in psoriasis (Abstract) 476

radiation recall dermatitis, following docetaxel administration (Correspondence) 674
rapamycin, modulation of dendritic cell function in elicitation phase of allergic contact dermatitis 136
recall dermatitis, docetaxel-induced, on laser treatment sites (Correspondence) 441
renal cancer, predisposition to (Topical Review) 11
renal transplantation, skin disease following, impact on quality of life 574
rheumatoid arthritis, adverse cutaneous reactions to anakinra (Concise Communication) 417
Rhizopus azygosporus, first case of cutaneous mucormycosis caused by (Case Report) 428
Richter syndrome manifesting as cutaneous B-cell lymphoma (Case Report) 833
rituximab
therapy of primary cutaneous B-cell lymphoma 167
in therapy of recalcitrant juvenile pemphigus vulgaris (Correspondence) 449
in treatment of pemphigus vulgaris 620
rosacea, comorbidity with depression 1176
RPE65 expression in nonmelanoma skin cancer 785
rubber, natural rubber latex allergens in gloves used by healthcare workers in Singapore 954

St John's wort, enhancement of erythemal response during high-dose UVA therapy 1187
sarcoidosis, subcutaneous, clinicopathology 790
scabies
in Edinburgh between 1815 and 2000 (Abstract) 474
epidemiology and morbidity in resource-poor communities in Brazil 150
scalp
differential expression of nitric oxide synthases in epidermal and hair follicle pigmentary units 301
hypotrichosis simplex, non-sense mutation in *corneodesmosin* gene (Gene Corner) 1216
skin and hair follicle expression of neurotrophin-3 and tyrosine kinase C 514
scleromyxoedema-associated dementia reversed by intravenous immunoglobulin (Case Report) 650
sclerosing panniculitis associated with pulmonary hypertension in systemic sclerosis 579
Scotland
annual incidence and mortality of bullous pemphigoid in Grampian Region (Concise Communication) 424
scabies in Edinburgh between 1815 and 2000 (Abstract) 474
sebum, facial excretion, effect on development of acne 919
self-reported skin morbidity and mental health 145
sentinel nodes
biopsy in problematic melanocytic lesions (Correspondence) 864
and survival in melanoma 1093, 1137
serine proteinase inhibition by LEKTI domain 6 (Concise Communication) 1200
Sézary syndrome
prognostic factors and prediction of prognosis by CTCL Severity Index 118
vitiligo in (Case Report) 1207
sign of Leser-Trélat in heart transplant recipient (Correspondence) 861
silver nitrate cautery in aphthous stomatitis 521
skin cancer
decreased incidence in patients with type 2 diabetes mellitus using insulin 552
detection from nonurgent referrals (Correspondence) 453
immunohistochemical analysis of p63 expression (Correspondence) 1230
incidence and ageing population (Correspondence) 679
RPE65 expression 785
see also specific types
Skin Care in Organ Recipients Group, Inaugural Meeting 6
skin substitute wound healing improvement by human mesenchymal stem cells 29
Smith–Lemli–Opitz syndrome, photosensitive, genetics 774
social exclusion associated with florid cutaneous papillomatosis (Correspondence) 667
solar keratoses, haematoxylin-stainable keratohyaline granules 976
solar lentigo, usefulness of ABCD signs (Correspondence) 1083
SPINK5 gene
Japanese infant with compound heterozygous mutation and ichthyosis linearis circumflexa localized to palms and soles (Gene Corner) 661
novel mutation in Japanese siblings with Netherton syndrome (Concise Communication) 1026
squamous cell carcinoma
advanced cutaneous, gefitinib treatment (Correspondence) 234
cyclin A and β-catenin expression 1166
p53-specific CD8+ T-cell responses in 987
stratum corneum functional properties in diabetes mellitus 319
stress, psychological, response of hypothalamic–pituitary–adrenal axis in psoriasis 1114
sunscreens and melanoma 378
superficial granulomatous pyoderma associated with chronic osteomyelitis (Correspondence) 684

syringoma, vulval, tranilast treatment (Correspondence) 1228
systemic lupus erythematosus, bullous, autoantibodies recognizing bullous pemphigoid antigen (Correspondence) 232
systemic sclerosis, sclerosing panniculitis associated with pulmonary hypertension 579

T cells
cytotoxic CD4 and CD8, role in formation of viral vesicles 981
inhibition of proliferation in atopic dermatitis 750
p53-specific CD8+ responses in cutaneous squamous cell carcinoma 987
regulatory in atopic dermatitis 750
subsets in inflammatory dermatoses 72
T-cell receptor gene rearrangements in cutaneous T-cell lymphoma with benign inflammatory disease 565
tacrolimus
modulation of dendritic cell function in elicitation phase of allergic contact dermatitis 136
in plasma cell balanitis (Concise Communication) 1204
possible mechanisms for induction of repigmentation in vitiligo 498
and risk of cancer 701
topical treatment and food allergy (Correspondence) 842
telogen effluvium, atrophic cytotoxic drug-associated, pretreatment with topical vitamin D_3 analogue 103
testis-specific protein-10, identification as tumour-associated antigen in primary cutaneous T-cell lymphoma (Concise Communication) 639
thalidomide, dermatological indications, mechanisms of action and side-effects (Review) 254
thiodiglycolic acid, fixed drug eruption due to (Correspondence) 226
thymoma with paraneoplastic pemphigus, autoantibody production 558
thyroid autoimmunity in chronic urticaria 331
toll-like receptor induction by *Propionibacterium acnes* 1105
topical applications, in-patient compliance (Correspondence) 446
toxic epidermal necrolysis
current evidence, practical management and future directions (Topical Review) 241
with vulval adenosis (Correspondence) 457
tranilast treatment of vulval syringoma (Correspondence) 1228
transient bullous dermolysis of the newborn (Case Report) 1058
trichoadenoma, cytokeratin expression suggesting differentiation towards the follicular infundibulum and follicular bulge regions (Correspondence) 1084
trichoepithelioma
multiple genital, associated with Bazex–Dupré–Christol syndrome (Correspondence) 682
novel *CYLD* gene mutations in Chinese families (Gene Corner) 1213
Trichophyton rubrum, report on autochthonous urease-positive from South-east Europe (Concise Communication) 178
TSGA10, identification as tumour-associated antigen in primary cutaneous T-cell lymphoma (Concise Communication) 639
tyrosine kinase C expression in human scalp skin and hair follicles 514

ultraviolet radiation
comparison of carcinogenicity of photodynamic therapy with UVB for mouse skin 1182
comparison of narrowband UVB monotherapy with Dead Sea salt balneophototherapy in treatment of chronic plaque psoriasis 613
exposure patterns of Irish and Danish gardeners during work and leisure 795
narrow-band UVB therapy of aquagenic pruritus (Correspondence) 1233
St John's wort enhancement of erythemal response during high-dose UVA therapy 1187
Urbach–Wiethe disease, novel mutation of *ECM1* gene (Concise Communication) 1019
urticaria
bullous delayed pressure, pathogenic role for eosinophilic granulocytes (Case Report) 435
chronic
response to subcutaneous heparin sodium (Correspondence) 216
thyroid autoimmunity in 331
see also cold urticaria

vascular endothelial growth factor expression, effect of blocking on melanoma growth 715
vasculitis, alcohol-induced cutaneous IgA-associated (Case Report) 1037
vibrissa follicle, gene expression profiling of ageing in the rat 22
vincristine, cutaneous reaction to (Correspondence) 225
vitiligo
imatinib mesilate as systemic depigmenting agent (Correspondence) 691
limited and slowly spreading, levamisole treatment 163
possible mechanisms for induction of repigmentation by tacrolimus 498
in Sézary syndrome (Case Report) 1207
vulva
adenosis with toxic epidermal necrolysis (Correspondence) 457
syringoma, tranilast treatment (Correspondence) 1228

warts
cutaneous, attitudes towards current treatments (Abstract) 474
human papillomavirus type 1-induced, local hypertrichosis associated (Correspondence) 1224

Wolf's isotopic response (Correspondence) 1241
wound healing
  differential expression of angiotensin receptors 887
  skin substitute, improvement by human mesenchymal stem cells 29
xanthogranuloma, recalcitrant necrobiotic, cyclophosphamide–dexamethasone pulsed therapy (Correspondence) 443

ZD1839 *see* gefitinib